

WHERE FARMING STARTS

Product Guide 2025

FLAMAN



GRAIN STORAGE & HANDLING SOLUTIONS

GRAIN BIN STORAGE	04
MERIDIAN GALVANIZED BINS	06
MERIDIAN SMOOTHWALL BINS	08
WESTEEL SMOOTHWALL BINS	09
AERATION SOLUTIONS	10
GRAIN MONITORING	12
BIN ACCESSORIES	12
AUGER ACCESSORIES	13
AGI NECO GRAIN DRYER	14
OAKLAND GRAIN DRYER	15
GRAIN HANDLING SYSTEMS	16
WALINGA ULTRA-VEYOR	18
AGI HUTCHINSON	19
AGI WRX & UTILITY AUGERS	19
TRANSFER AUGERS & CONVEYORS	20

AGI X ² SERIES AUGERS	21
AGI XTA AUGERS	22
AGI UTX AUGERS	23
EDGE AGRO AUGERS	24
MERIDIAN AUGERS	25
MERIDIAN CONVEYORS	27
CONVEY-ALL CONVEYORS	28
AGI BATCO CONVEYORS	30

GRAIN CLEANING & ANALYSIS

GRAIN ANALYSIS	32
CUSTOM SCREENS	33
BENCH GRAIN CLEANERS	34
GCS GRAIN CLEANERS	35
KWIK KLEEN GRAIN CLEANERS	35

FARM IMPLEMENTS

GRAIN VACS	36
GRAIN BAGGERS	37
GRAIN EXTRACTORS	38
GRAIN BAG ROLLER	38
J&M GRAIN CARTS	40
FIRE SUPPRESSION	42
CONVEY-ALL SEED TENDERS	44
HAUL ALL SEED TENDERS	46
HAUL ALL GRAIN TRAILERS	47
BRUNS GRAIN WAGONS	48
KINZE MACH TILL	49
KELLO-BILT DISCS	50
WISHEK HEAVY DISCS	51
BRILLION DISC RIPPER	52
LANDOLL WEATHERPROOFER	53
SCHULTE DISC HARROW	54

Frank Flaman Foundation

The Frank Flaman Foundation supports charities and projects both locally and internationally. Flaman team members take part in development projects worldwide and are also active participants in their communities.

This year, several of our Fairview team members helped with construction at the Santiago Community Centre in Guatemala.



People **together**, doing what's right,

Flaman is a family-oriented company that strives to make a difference in our communities and beyond.

Here are a few ways our team contributed to our local communities this year.



Volunteering at the Saskatoon Ronald McDonald House

A few of our Saskatoon team members prepared and cooked supper at the Ronald McDonald House for their Home for Dinner Program. RMHC ensures all families have access to the support they need to be with their sick children while providing a safe, comfortable environment.

SCHULTE 7-BAR HARROW	55	WOOD CHIPPERS	68	FLAT DECK TRAILERS	82
RITEWAY LAND ROLLERS	56	BUFFER VALLEY BINS	69	DUMP TRAILERS	84
RITEWAY HARROWS	57	U-DRAIN FLOOR DRAIN	70	ENCLOSED TRAILERS	86
DUTCH BIOSPREADER	58	MAGNUM FUEL TRAILERS	71	STOCK TRAILERS	88
DOYLE FERTILIZER TRAILER	59	FUEL LOCK	72	SPECIALTY TRAILERS	89
FERTILIZER SPREADERS	59	DIESEL & DEF TANKS	72	SLED TRAILERS	90
ROTARY CUTTERS	60	FUEL TANKS	73	UTILITY TRAILERS	91
SCHULTE ROCK REMOVAL	62				
SNOW BLOWERS	63	TOPKROP FERTILIZERS		RENTALS	
BOX SCRAPERS & GRADERS	64	STARTER FERTILIZERS	74	AG EQUIPMENT RENTALS	92
ROTOTILLERS	65	BIOLOGICALS	75	HAY & LIVESTOCK RENTALS	94
AGI POST POUNDERS	66	FOLIAR FERTILIZERS	76	LANDSCAPING RENTALS	95
SWATH ROLLERS & HAY RAKES	67	HUMIC PRODUCTS	78	CONSTRUCTION RENTALS	95
BALE SPEARS & CARTS	67			TRAILER RENTALS	96
BRILLION SEEDERS	68	TRAILERS			
PALLET FORKS	68	SPRAYER & SEMI TRAILERS	80	ABOUT US	
WIRE SPOOLER	68			LOCATIONS & MAPS	90

making a difference.



Donation to Kids Kottage Foundation in Edmonton

Peter delivered a cheque to the Kids Kottage Foundation, a crisis prevention centre dedicated to

keeping children safe and families strong. The Frank Flaman Foundation has been committed to helping this organization since 2007.



Donation to Lethbridge Family Services

Ben and Nigel dropped off some donations to support the Lethbridge Family Services Angel Tree, a local campaign

to help families in need with a goal to ensure that every child has the opportunity to experience the joy of Christmas.

JOIN OUR TEAM!

At Flaman, it's our people that make our company great. We support our staff with opportunities for growth, flexibility, and a healthy work-life balance.

We're always looking for individuals to join our team in a variety of positions, from sales, service, and yard support to accounting, administration, and more.

Interested in joining the Flaman team?

flaman.com/careers





STRESS FREE BIN BUYING

From the concrete pad to the monitoring systems, we can help.



UNSTIFFENED BINS
From 15' to 48' diameter

SIZE	BU RANGE	HEIGHT
15'	2,300 – 5,100	19' – 37'
18'	3,400 – 9,800	20' – 49'
21'	4,800 – 13,400	21' – 50'
24'	6,300 – 17,600	21' – 51'
27'	8,000 – 22,500	22' – 52'
30'	10,000 – 28,000	23' – 53'
33'	14,900 – 39,800	24' – 54'
36'	15,000 – 40,000	25' – 55'
42'	21,000 – 56,000	26' – 56'
48'	28,000 – 73,000	28' – 58'

FLAT BOTTOM BINS

Commercial Series capacity up to 684,240 BU
Farm Series capacity up to 73,790 BU

STANDARD FEATURES

- 4" corrugated sheets
- Roof manhole
- 30° roof corrugated with 3" ribs
- Roof ladder
- Spiral staircase
- 40" filler cap remote opener
- Large 64" x 30" walk through door

OPTIONS

- Temperature and moisture cables
- U-Trough unload
- Full floor aeration systems
- Round or gooseneck vents
- Exterior stiffeners
- 9" bin sweep



STIFFENED BINS



LOCK-N-LOAD FLOOR SYSTEM



SPIRAL STAIRCASE



Book with Flaman and simplify your bin buying.
Leasing available.

HOPPER BOTTOM BINS

Available in 15' to 27' diameter and sizes up to 17,020 BU

STANDARD FEATURES

- 24" ground clearance varies by manufacturer
- 40" lid with remote
- Manholes in roof and hopper cone
- Set up crews available

OPTIONS

- Temperature cables, moisture cables, and remote monitoring
- Aeration (straight duct, Grain Guard rocket)
- Saf-T-Fill or LevALERT bin level indicator
- Spiral staircase or ladder with safety cage
- Steel skid foundation
- Rack and pinion gates
- Roof vents
- Leg extensions



ROOF VENTS



SAFETY CAGES

HOPPER PACKAGES

SIZE	BU	HEIGHT	AUGER
1805	4,900	33' 10"	61'
1806	5,679	37' 6"	66'
2105	6,893	35' 11"	61'
2106	7,953	39' 7"	70'
2406	10,437	42' 4"	71'
2407	11,710	43' 11"	84'
2707	15,250	46'	84'
2708	17,020	49' 8"	94'

BU capacity may vary depending on cone manufacturer

OTHER SIZES AVAILABLE



CUSTOM CONCRETE FOUNDATIONS



AERATION SOLUTIONS



MERIDIAN GALVANIZED BINS AND HOPPER COMBOS

FLAT BOTTOM BINS

Available in sizes up to 56,000 bushels

STANDARD FEATURES

- Heavy galvanized sheets for superior strength
- Double bolted vertical seams
- 30° roof slope and large bin lid
- Exterior side wall and roof ladder
- 3 panel walk-in door

OPTIONS

- Full floor aeration (.050 perf.)
- Welded truss supports
- 11" U-Trough unload and 7.25" bin sweep
- Roof vents (18" rd.) and fans
- Interior sidewall ladder
- Spiral staircase (single or dual platform)

TURN-KEY PACKAGES INCLUDE:

- Concrete pads
- Fully assembled including options
- Electrical hookup and site prep not included

FLAT BOTTOM BINS

SIZE	BU RANGE
15'	2,876 – 4,006
18'	4,195 – 9,893
21'	5,781 – 13,527
24'	7,643 – 17,772
27'	9,798 – 22,613
30'	12,242 – 28,069
33'	14,988 – 34,154
36'	18,044 – 40,822
42'	25,133 – 56,143

HOPPER COMBOS

SIZE	BU
18' 5 Ring	4,870
18' 6 Ring	5,684
21' 5 Ring	6,759
21' 6 Ring	7,869
24' 5 Ring	9,049
24' 6 Ring	10,498
27' 6 Ring	13,600

FULLY ASSEMBLED COMBOS

Set up on farm (18', 21' & 24')

24' cone – split bolt together or fully welded



SAFETY FIRST

Protect your family from one of the most common accident locations on the farm.

Economical Fall Arrest Safety Cables



Compatible with both smoothwall and galvanized bins. Includes 4' lanyard, fall protection harness, and rope grab.

Meridian Ladder Cage and Handrails



HOPPER COMBOS

Available in sizes up to 13,600 bushels

STANDARD FEATURES

- 35° hopper cone
- HSS Tubing – legs and supports
- Heavy galvanized sheets for superior strength
- Double bolted vertical seams
- 30° roof slope
- Rack and pinion unload gate
- 27" bin lid with remote opener
- Exterior side wall and roof ladder
- Manhole and manway

OPTIONS


- Double, triple, or quad skirts
- Vertical or horizontal aeration
- LevAlert bin level indicator
- Spiral staircase
- Temperature and moisture monitoring
- Aeration fan

AIRMAX AERATION

Natural air drying system

- Designed to easily retrofit your existing hopper bins
- Retro system is designed and approved for installation in steeper cones and use in high moisture grain
- Larger screen surface area maximizes the effectiveness of your drying, cooling, and aeration efforts
- Optional extra support leg increases stability in high-flow applications
- Full support legs ensure a durable, problem-free system

Decrease the chance of spoilage in the bin.



VERTICAL ONE-PIECE AERATION

VERTICAL SECTIONAL AERATION

HORIZONTAL AERATION

Special Order in Saskatchewan & Manitoba



MERIDIAN SMOOTHWALL BINS

GRAIN MAX BINS

Meridian Grain Max hopper bins offer top quality grain and seed storage at prices comparable to corrugated hopper combos.

Without bolts and ribs, the seamless interior allows for safe and easy unloading, while ensuring no seed or contaminants are trapped on walls or joints.

MODEL	BU	HEIGHT	AUGER
GM2300	2,301	26' 3"	46'
GM3000	3,264	28' 11"	51'
GM4000	4,118	33' 11"	61'
GM5000	4,973	38' 11"	71'
GM5300	5,324	35' 6"	61'
GM6400	6,405	40' 6"	71'
GM7500	7,488	45' 6"	76'

OTHER SIZES AVAILABLE

MULTI-PURPOSE BINS

These durable bins are completely pre-welded, inspected, and treated with Meridian's premium powder coating inside and out.

The premium powder coat finish allows for many years of corrosion and abrasion resistance even with fertilizer storage.

MODEL	CAPACITY	HEIGHT	AUGER
1412	69 MT	25' 3"	46'
1612	91 MT	25' 11"	46'
1615	108 MT	28' 11"	51'
1620	136 MT	33' 11"	61'
1625	165 MT	38' 11"	71'
1630	193 MT	43' 11"	71'
1820	176 MT	35' 6"	61'
1825	212 MT	40' 6"	71'

OTHER SIZES AVAILABLE

AVAILABLE OPTIONS



SKID FOUNDATION



AUGER BOOT



LADDER CAGE & HANDRAILS



WESTEEL SMOOTHWALL BINS

GRAIN BINS

Westeel Magnum-G smoothwall bins store grain, seed, and feed safely with easy clean-out and corrosion protection.

Constructed with heavy-duty steel, a superior paint finish, and exceptional clean-out, Westeel bins are designed for optimal strength and longevity.

MODEL	BU	HEIGHT	AUGER
1208G	1,162	19' 1"	36'
1412G	2,016	23' 7"	41'
1612G	2,734	25' 9"	46'
1616G	3,413	29' 9"	51'
1620G	4,092	33' 9"	61'
1624G	4,771	37' 9"	61'
1628G	5,394	40' 11"	71'
1630G	5,733	42' 11"	71'
1632G	6,073	44' 11"	71'

FERTILIZER BINS

Westeel Magnum-F smoothwall hopper bottom bins are ideal for safe, long-term storage of fertilizer, grain, and seed.

Westeel Magnum smoothwall bins are designed to provide years of trouble-free clean-out and superior protection from corrosion.

MODEL	CAPACITY	HEIGHT	AUGER
1208F	39 MT	19' 1"	36'
1408F	50 MT	19' 7"	36'
1412F	67 MT	23' 7"	41'
1416F	85 MT	27' 7"	46'
1612F	91 MT	25' 9"	46'
1616F	114 MT	29' 9"	51'
1620F	136 MT	33' 9"	61'
1624F	159 MT	37' 9"	61'
1628F	180 MT	40' 11"	71'

AVAILABLE OPTIONS



LADDER CAGE & HANDRAILS



HD SKID FOUNDATION



REMOTE VENTED TOP LID



AERATION SOLUTIONS



AERATION FANS

3 Year Warranty and CSA Approved

FULL CENTRIFUGAL FAN

3 HP – 10HP

- Suited for Grain Guard Rocket
- Maximum airflow at higher static pressures
- 20% more air flow than an in-line fan
- Call about 3 phase options



INLINE FAN

3 HP – 15 HP

- Suited for round duct, 1/2 round systems
- Call about 3 phase options



TURBO FAN

7.5 HP

- Suited for round duct, 1/2 round systems
- Excellent airflow at higher static pressures
- 20% more air flow than an in-line fan
- 3 phase not available

Limited quantities of 3 HP & 5 HP turbo fans available in Alberta



FAN COVERS

Protect your fans from the elements




SHOWER CAP



CANVAS AIR SOCKS

GRAIN GUARD TRANSITIONS AND ADAPTERS

Easily adapt aeration fans and heaters to multiple aeration systems.



FAN CLAMPS

Easily move your fans from bin to bin

GRAIN GUARD AERATION



NEXT GENERATION ROCKET

Designed for hopper bins

Provides more air delivery to the centre of the bin where air is most difficult to move.

Internal support rings provide greater structural strength to withstand increased side loads.



Easy, two person "do-it-yourself" installation

RETRO ROCKET

Retrofit existing bins

Increase fan efficiency while delivering air to the core of your bin.

This rocket system lets you quickly and easily retrofit existing hopper bottom and smoothwall bins with Grain Guard aeration.

MAX. 5 HP FAN FOR 4' RETRO ROCKET UP TO 5,000 BU

MAX. 7 HP FAN FOR 6' RETRO ROCKET UP TO 7,000 BU

SIZES FOR BINS UP TO 25,000 BU

HELPER SYSTEM

An economical alternative to full floor aeration



Increases air flow and can be installed in any diameter bin.

LOW TEMPERATURE DOWNSTREAM HEATERS

60,000 – 200,000 BTU

Designed to supplement natural air drying systems.

Available in Alberta only



STRAIGHT DUCT

Replace older corrugated pipe

18" & 24" models available that can be made to any length.



VENT-A-LID

A specially designed ventilation tool

Creates ventilation at the highest point of your bin, where heat naturally wants to flow.



CROSS DUCT

Easily retrofits into existing flat floor bins on wood or cement floor. Fully expandable and great for quonsets.

Available in Alberta only

GATCO GRAINAIR TUBE

Maximize existing aeration systems by increasing airflow with an aeration booster.

- Removes heat from your grain using natural convection
- Allows heat and moisture to escape the bin quickly
- Can be used to cool flat and hopper bottom bins, sheds, quonsets, and grain piles



Vent-a-lid allows your bin lid to be fully closed without worry



WIRELESS GRAIN MONITORING

BIN-SENSE LIVE

Proactive reporting of your grain bin conditions on your smartphone

- No power requirement – solar and battery powered
- Control fans remotely from phone or computer
- Temperature and/or moisture sensing
- Hourly grain temperature and moisture readings
- Monitor grain inventory levels
- Compatible with most existing installed cables

BIN-SENSE SOLO

A low-cost solution for small to medium-sized grain bins, delivering daily information right to your mobile or desktop device.

BIN-SENSE PLUS

Featuring ambient air temperature and humidity readings, Bin-Sense Plus offers **automatic grain conditioning and aeration fan control for optimized grain quality.**

Install, support, and service.



MONITORING CABLES
Sense the temperature and moisture of store grain



FAN CONTROLLER
Control your fans remotely from a mobile device

BIN ACCESSORIES


BIN LEVEL INDICATORS



Lev ALERT



Saf-T-Fill



Grain Gauge



REPLACEMENT BIN LIDS

Retrofit your older bins with a remote lid opener. One size fits all 36" bin lid.



HOPPER DROPPER

Spill-Proof Canvas Hopper Bag



MAGNETIC BIN LABELS

Organize your bin yard with magnetic bin labels for over 30 commodities.



BIN ANCHORS

Secure flat bottom or hopper bins that are mounted on a steel floor or steel skid foundation.

AUGER ACCESSORIES

DOWNSPOUTS

Poly Auger Downspouts

- 8" Round
- 10" Round
- 10" Oval
- 13" Round



No Snag Auger Downspout

Directs grain right into the bin without snagging.

- 10" No Snag
- 13" No Snag
- 16" No Snag

Colour varies by province



Never Spill Auger Downspout

No checking, no overfilling, no plugging augers!

- 10" w/ alarm
- 13" w/ alarm
- 16" w/ alarm

ALARM SYSTEM INDICATES A FULL BIN



POLY AUGER HOPPERS



Standard Auger Hopper



Big Daddy Hopper



Agri-Hopper



The Big Boot



SHOVEL HOLDER



43-LITRE FUEL TANK

Mounting kit available

AUGER LIGHT OPTIONS

3 light kits or LED light kits



NEW

NEU-TECH AUGER HOPPER

Aluminum spring-loaded hopper

With one quick latching action, this collapsible hopper folds and stores securely against your auger—sliding under your bin easily, without obstructing your view of where you want it placed. Unhook the latch, and it snaps back into shape so you can get on with your grain handling.



Available in Saskatchewan & Manitoba only

GATCO AUGER HOG

Increase your auger capacity by up to 20–30%

An adjustable, detachable auger hopper for your load out grain auger. It attaches and detaches in seconds with a single mount pin, stays on your auger between bins, and prevents product loss due to spitting, blowing, or overflowing.

AVAILABLE FOR 8/10" AND 12/13" AUGERS

Optional fertilizer screen available






AGI NECO MIXED FLOW GRAIN DRYER

16' & 24' dryers available

BENEFITS

- No screens to clean or get plugged, so airflow is maintained throughout the drying season
- Up to 30% more fuel efficient than conventional screen dryers
- Suitable for most crops including specialty beans
- Flexible operation allows dryer to run in full heat or heat and cool modes on all models




MIXED FLOW DRYING PROCESS

- Maintains the highest quality grain while reducing the risk of crop damage
- Even heating and cooling provides better kernel to kernel consistency and higher test weights
- Quiet and efficient centrifugal fans

BLOWER AND UNLOAD VFDS

- Blower VFDs provide additional control of airflow to suit the crop and drying conditions
- Unload VFDs are used to fine-tune the unload speed to minimize grain damage



CONTROL SYSTEMS

- Commander Control PLC-based dryer control system offers an easy-to-use touch screen navigation, tracking and graphic capabilities, and alarm and troubleshooting assistance
- Dryer Master sensors measure the moisture of the grain as it enters and exits the dryer in real time and adjusts output speed to meet moisture setpoint
- Remotely monitor moisture and temperature within the dryer from any device



REMOTE MONITORING AND MANAGEMENT



OAKLAND DOUBLE FLOW GRAIN AND SEED DRYER

BENEFITS

- Low maintenance and clean up
- Very gentle on different grains
- Virtually no maintenance on bearings and no belts to wear out
- No screens to clean
- Switch grains without emptying the dryer
- Superior structure and workmanship
- Low profile and low noise with chaff control

COMPUTER-BASED HMI

- Easily monitor and control the dryer wherever you have internet connection

ELECTRONIC AND GAS TRAIN SYSTEM

- High quality electric and electronic parts
- Easily switch between propane and natural gas
- Mechanically conveyed – meaning less possible fire risk with no bridging or hot spots created



MONITOR THE DRYER FROM A SMARTPHONE OR COMPUTER



Ship Unit Anywhere

The top end of the dryer unbolts from the bottom helping you save money when shipping the unit.



Auto Shutoff

Equipped with multiple safety features to ensure safe startup and operation.



Control the Grain Depth

You have the option of controlling the grain depth on the bed.



Variable Frequency Drive

All of our motors are VFD (Variable Frequency Drive).



MODEL	HOT FANS	CFM	COLD FANS	SIZE
OL4100	(1) 60 HP	45,000	(1) 25 HP	41' L x 11'8" W
OL5300	(2) 60 HP	90,000	(2) 25 HP	54' L x 12' W

Available in Saskatchewan only



DESIGN & LAYOUT



SETUP & INSTALLATION



MAINTENANCE & SERVICE



GRAIN HANDLING

From start to finish.

We specialize in full solution grain handling setups, grain dryer systems, grain cleaning and processing plants, and automated bin sites.

Our team of consultants and industry experts, service specialists, purchasers, and support staff can help with any aspect of business related to your grain handling equipment including:

- Design and layout
- Equipment and parts
- Setup and installation
- Maintenance and service

We can provide, install, and service:

- Horizontal, incline, and overhead conveyors
- U-trough screw conveyors
- Bucket elevators and pneumatic blower systems
- Grain drying equipment
- Support towers, safety structures, and catwalks





WALINGA ULTRA-VEYOR



WALINGA BLOWER SYSTEM

Move your grain safer and easier without elevator legs or portable augers

- Economic and affordable solution for long distance conveyance
- Gentle on product (including chickpeas)
- Flexible system for future expansion and growth
- Simple and easy installation

New digital controls!

1

SMART-FLO

Variable Frequency Drive Systems monitor and automatically adjust motor speeds, optimizing performance while reducing energy costs and bulk damage.

2




SUPER HARDENED SRT BLOWER

Walinga blowers are fabricated from special alloy castings that facilitate hardening. This process eliminates premature wear from abrasive dust, ensuring a much longer life.

3

AIRLOCK PACKAGE

Designed for maximum efficiency and minimal grain damage, the housing is precision machined from a cast iron shell for unequalled performance.



MODEL	TUBING	MOTOR	CAPACITY
5510	5"	15 – 40 HP	up to 1,600 bu/hr
6614	6"	40 – 75 HP	up to 2,300 bu/hr

AGI HUTCHINSON

CHAIN & PADDLE CONVEYORS

Available in 6", 8", 10", and 12"

AGI Hutchinson conveyors are more gentle on product and require less horsepower than an auger system.

- Moves up to 10,000 BPH
- 12 gauge galvanized tube housing
- Heavy-duty winch system
- Available in electric or PTO drives

PORTABLE GRAIN PUMP



GRAIN PUMP DOUBLE RUN



GRAIN PUMP LOOP



STATIONARY AUGERS



Electric Motor Drive

AGI WRX TRUCK AUGER

Ideal for grain dryer setups and other stationary applications

- Lengths from 31' to 76'
- 8" or 10" tube diameter
- Five drive options

UTILITY AUGERS

For semi-permanent or permanent grain handling installations

Available sizes: 4", 6", 8", 10", 13"

IDEAL USES

- At your grain bins or bulk tanks
- Grain drying set-ups
- In feedlots, feedmills, or elevators



TRANSFER AUGERS & CONVEYORS



PRO GRAIN T-180 Transfer Auger

An economical solution for transferring grain.

- 8" diameter, 10' long
- 6.5 HP Honda motor



AGI Low-Profile Transfer Augers

Fits easily under hopper bins and trailers.

- 8" or 10" diameters
- 10 ¾" high
- Hydraulic, gas, or electric drive options



AGI BATCO BCX² 1515 Low-Profile Transfer Conveyor

- 10" diameter
- Move up to 6,000 BPH
- Hydraulic, gas, or electric drive options



CONVEY-ALL High-Capacity Transfer Conveyors

- Move up to 14,000 BPH
- 10" to 14" diameters and 12" to 22" belts
- Hydraulic, gas, or electric drive options



AGI HUTCHINSON Drive-Over Chain Conveyor

Convenient, fast, and easy drive over and unloading.

- Low profile 8 ¾" unit
- Move up to 8,000 BPH
- 10 HP electric drive (hydraulic also available)



AGI BATCO PITSTOP Portable Drive-Over Pit

Ideal for unloading semi trailers, gravity carts, and belly dump trailers.

- 1800 & 2400 Series
- Move up to 18,000 BPH
- Hydraulic, gas, or electric drive options



AGI X² SERIES AUGERS

AGI X² SERIES SWING AUGER

Capacities up to 23,000 BPH

The redesigned AGI X² Series auger offers key updated features to provide fast and efficient grain transfer to your large bins.

STANDARD FEATURES

- 1000 RPM reducer/reverser
- Wireless electric power swing
- Hydraulic hopper winch
- Light kit

KEY UPDATES

- Open discharge spout
- Durable boot
- Responsive steerable axles



X-TEND OPTION

Move more with less horsepower

Featuring a **longer auger** and a **larger hopper** than competitive units, the X-Tend retracting swing auger offers the convenience of being able to **extend, move side-to-side, and retract**, without having to move or reposition the truck.

Available on 13" & 16" models.



DURABLE BOOT



DISCHARGE SPOUT

X² 10 – 10" Auger

Capacity up to 6,000 BPH

Lengths from 63' to 83'

Available with Power Swing

X² 13 – 13" Auger

Capacity up to 11,000 BPH

Lengths from 74' to 114'

Available with Power Swing or X-Tend

X² 16 – 16" Auger

Capacity up to 23,000 BPH

Lengths from 85' to 125'

Available with Power Swing or X-Tend

Offers easy maneuvering around tight bin yards and corners.



STEERABLE AXLE



AGI XTA AUGERS



LED WORKING LIGHTS



DOUBLE BANDED BELTS



**REVERSING GEARBOX
& ELECTRIC CLUTCH**

AGI XTA TRUCK AUGER

Capacities up to 5,500 BPH

Featuring a self-propelled heavy-duty mover kit with all-wheel drive, hydraulic steering, and rugged all-terrain tires, the AGI XTA is a fast and convenient solution for loading grain. Available in lengths from 31' to 51'.

STANDARD FEATURES

- AGI mover kit
- Electric clutch
- Large fuel tank
- Reversing gearbox
- Light kit

OPTIONS

- Heavy duty mover kit
- EFI engines available



SELF-LEVELING MOTOR

The heavy-duty, self-leveling motor mount maintains proper tension at all heights and is designed to handle high horsepower, heavy engines.



HEAVY-DUTY MOVER KIT

The narrow, compact design gives better access to larger diameter hopper bins and offers a sharper turning radius.



AGI UTX AUGERS

AGI UTX U-TROUGH AUGER

Capacities up to 9,000 BPH

Built to withstand harsh physical demands, the high-capacity AGI UTX features a unique U-Trough design that reduces the chance of grain damage or plugging.

STANDARD FEATURES

- Collapsible spring-loaded hopper extension
- Reversing gearbox
- Heavy duty mover kit with joystick
- Triple groove electric clutch
- Large fuel tank
- Hydraulic winch



VANGUARD 40 HP EFI



LED WORKING LIGHTS



HEAVY-DUTY MOVER KIT



**SPRING-LOADED
HOPPER EXTENSION**

Quickly and easily fit under your lowest and hardest to reach bin unloads and hopper bins with this collapsing hopper extension.



**REVERSING GEARBOX
& ELECTRIC CLUTCH**

Start and stop the auger without shutting down the engine and safely reverse the auger at all angles with the reversing gearbox.



EDGE AGRO AUGERS



HEAVY-DUTY MOVER KIT



GEARBOX & LED LIGHTING



HATZ DIESEL ENGINE

Eliminates the need for a separate tank of gas, provides large-capacity fuel storage, and has a circulating block heater for cold weather starts.

EDGE AGRO LOADING AUGER

Capacities up to 14,000 BPH

Featuring a powerful Hatz diesel engine, dynamically balanced suspended flighting, and an integrated mechanical hand clutch, Edge Agro augers are designed for durability and longevity.

STANDARD FEATURES

- 12" or 14" tube
- Available in 42' or 52' lengths
- 56 HP Tier 4 Hatz diesel engine
- Engine coolant block heater
- Dynamically balanced suspended flighting
- Mechanical hand clutch
- Hanger bearings
- Double 60H chain drive
- Hydraulic lift
- Low profile hopper design
- Heavy-duty mover kit
- Light kit



DYNAMICALLY BALANCED SUSPENDED FLIGHTING

Innovative hanger bearings prevent metal-on-metal wear and vibration on the bearings, increasing the auger's lifespan by up to 4x.



INTEGRATED MECHANICAL HAND CLUTCH

Allows for gradual engagement when the auger's full of grain and can handle increased torque levels that electric clutches can't manage.



MERIDIAN TRUCK LOAD AUGERS

MERIDIAN HEAVY DUTY AUGER

Capacities up to 10,000 BPH

Featuring an improved undercarriage and axle design for better weight distribution and a self-leveling motor mount for consistent belt tension regardless of the height of the auger.

STANDARD FEATURES

- 8", 10", or 12" tube
- Lengths from 39' to 59'
- Shovel and shovel holder
- Mover kit
- Reversible gearbox
- Winter kit
- LED light kit

FLAMAN DIESEL OPTION (HD 10-46 & TL 12-39)

- 25 HP Hatz diesel engine
- Integrated hand clutch
- New Flaman wireless control system
- 7' intake extension (12-39)

NEW

FLAMAN ⚡ DIESEL DRIVEN

Flaman's new diesel-driven Meridian truck augers feature a 25 HP Hatz engine, Flaman wireless remote control system, and a 7' extension to fit under 27' hopper bins (12-39).



SHOVEL & HOLDER



REVERSIBLE GEARBOX



4 WHEEL MOVER KIT



Limited quantities available in Saskatchewan & Manitoba only



MERIDIAN SWING AUGERS



CABLE TRUSS SYSTEM



HYDRAULIC WINCH



REMOTE CONTROLLED ELECTRIC SWING

MERIDIAN SWING AWAY AUGER

Capacities up to 15,000 BPH

Meridian's longer and wider hopper design maximizes reach, increases handling capacities, and reduces overflow and spillage.

STANDARD FEATURES

- ▶ 10", 12", 13", or 14" tube
- ▶ Lengths from 72' to 115'
- ▶ Remote controlled electric swing
- ▶ Hydraulic hopper winch
- ▶ Heavy-duty reversible gearbox
- ▶ LED light kit
- ▶ Poly flex downspout

OPTIONS

- ▶ Rodono retracting swing
- ▶ New Flaman wireless Rodono control

Available on 13" & 14" models



RODONO RETRACTING SWING OPTION

NEW FLAMAN WIRELESS CONTROL SYSTEM

The **Flaman wireless X-Tend** or **Rodono control** offers all three functions that a typical X-Tend would, plus a **winch control function** to save you a trip in and out of the tractor.



Available in SK/MB only



MERIDIAN CONVEYORS

MERIDIAN BIN FILL SWING CONVEYOR

Capacities up to 12,000 BPH

Redefining efficiency with fast but gentle handling of your grains. Available in lengths of 90' to 120', Meridian bin fill conveyors feature a 20" wide chevron-style belt in an enclosed 10" tube.

STANDARD FEATURES

- Collapsible intake hopper
- Heavy duty undercarriage
- Hydraulic lift
- Round steel fixed spout
- 4-way hydraulic swing hitch
- End PTO drive
- Electric swing mover
- Electric winch kit
- HD light kit
- 13" flexible downspout



COLLAPSIBLE INTAKE HOPPER



ELECTRIC SWING MOVER

MERIDIAN TRUCK LOAD CONVEYOR

Capacities up to 12,000 BPH

Available in 45' or 55' lengths, these conveyors are ideal for handling seed, loading planters, and unloading bins.

STANDARD FEATURES

- 20" chevron belt and 10" tube
- 4-way hydraulic mover
- Electric clutch
- Joystick power steering
- LED light kit
- 13" flexible downspout

NEW Meridian 20-45 Canola Ready

- Oilseed certified conveyor
- Adjustable double flashing to seal off hopper
- Skived belt for a tighter hopper seal
- Large 6" drive roller for maximum traction





CONVEY-ALL TL CONVEYORS



ELECTRIC ACTUATOR



COLLAPSIBLE HOPPER



OILSEED CERTIFIED

Oil-damage prevention features include extra flashing and scrapers along the skived belt, keeping fine material on the belt and preventing build-up.

CONVEY-ALL TRUCK LOAD CONVEYOR

Capacities up to 9,000 BPH

Self-propelled, self-contained, and completely hydraulic. Convey-All's high-capacity truckload conveyors are perfect for moving product from your bins to your truck and can safely handle cereals, pulses, oilseeds, and fertilizer.

STANDARD FEATURES

- ▶ Available in 50' or 58' lengths
- ▶ 16" chevron belt and 10" tube
- ▶ Collapsible hopper
- ▶ Full length windguards
- ▶ Heavy duty undercarriage
- ▶ Hydraulic lift
- ▶ Self-contained hydraulic drive
- ▶ Heavy duty mover kit

OPTIONS

- ▶ Hatz diesel engine
- ▶ New Flaman wireless control system
- ▶ Stainless steel ends



VOLT BATTERY OPTION

FLAMAN ⚡ DIESEL DRIVEN

Now available from Flaman with a Hatz diesel engine and wireless remote control.



NEW

Available in SK/MB only



CONVEY-ALL SWING CONVEYORS

CONVEY-ALL BIN FILL SWING CONVEYOR

Capacities up to 12,000 BPH

Leave the tractor in the shed with Convey-All's self-propelled, self-contained bin fill conveyors. Featuring a remote controlled, 360° swing with a long reach for maximum accessibility.

STANDARD FEATURES

- Lengths from 90' to 120'
- 10" or 14" tube
- 16" or 22" belt
- Collapsible hopper
- Full length windguards
- Heavy duty scissor lift undercarriage
- Hydraulic winch
- Positive pinch drive box

OPTIONS

- Oilseed certified
- Self-propelled mover kit
- Diesel drive
- Stainless steel package



FULL LENGTH WINDGUARDS



POSITIVE PINCH DRIVE BOX

NEW



OILSEED CERTIFIED



DIESEL DRIVE OPTION



COLLAPSIBLE HOPPER



AGI BATCO BCX³ FIELD LOADER

AGI BATCO SWING CONVEYOR Capacities up to 14,000 BPH

Available in lengths from 90' to 120', our high-capacity, low maintenance AGI Batco swing conveyors will save you time and money.

STANDARD FEATURES

- 10" or 14" tube
- 15", 20", or 24" belt
- Hydraulic winch kit
- Electric swing away kit
- Light kit
- Weather guards



AGI BATCO BCX³ 1549 FIELD LOADER Capacities up to 10,000 BPH

The redesigned Batco BCX³ field loader is equipped to handle tough jobs and confidently moves all commodities—reducing the need to have multiple portable handling solutions on your farm—with the help of its two belt scrapers, belt brush, and turbo clean wash system.

STANDARD FEATURES

- 10" tube and 15" belt
- 33 HP Vanguard EFI engine
- Heavy duty all wheel drive
- Soft start electric clutch
- All farm commodity system
- Redesigned discharge hood

- Hydraulic steering
- 32" wide hopper
- Light kit

OPTION

- Top mount or under mount



**33 HP VANGUARD
EFI ENGINE**



**HEAVY DUTY
AWD MOVER KIT**



AGI BATCO UCX³ CONVEYOR

AGI BATCO UCX³ 1549 U-TROUGH CONVEYOR Capacities up to 12,500 BPH

The unique U-Trough shape delivers high capacities without compromising the gentle handling of your commodity.

STANDARD FEATURES

- 10" tube and 15" belt
- 40 HP Vanguard EFI engine
- Hydraulic steering
- Heavy duty all wheel drive
- Triple belt electric clutch
- Light kit
- Redesigned hopper

AWD MOVER KIT

- Redesigned built-in braking system
- 160° turning radius for tight yards
- Better traction
- Drop-and-go wheel move for quick set-up
- Extra 15" discharge height



40 HP VANGUARD EFI



COMMAND CENTRE



AWD MOVER KIT

ALL FARM COMMODITY SYSTEM

Both the BCX³ and UCX³ feature a belt brush, two belt scrapers, and the turbo clean wash system, designed to keep debris off your belt and make clean-out easier than ever.



5200-FARM
Designed for on-farm use



GRAIN ANALYSIS

Gain the advantage of knowing what your grain has to offer before sending it to market.



PERTEN AM 5200 GRAIN MOISTURE METER

Test high temperature grain straight off the dryer

Utilizing UGMA technology, the Perten AM 5200 provides an accurate and repeatable analysis regardless of temperature or crop type. This unit displays moisture, test weight, and temperature in 10 seconds (5200-A) and 25 seconds (5200-Farm).



PERTEN IM 8800 GRAIN PROTEIN TESTER

Light and compact for fast, portable grain testing

The Perten IM 8800 is a portable, near-infrared (NIR) grain analyzer designed specifically for on-farm conditions and displays moisture, protein, and oil content in just 90 seconds.

Equipped with GPS capability for protein field mapping.



PERTEN IM 9500 GRAIN PROTEIN TESTER

Commercial grain protein and moisture analyzer

Reliable, robust, and built to meet the requirements of commercial grain handling operations, the Perten IM 9500 displays moisture, protein, and oil content in less than 30 seconds.

Optional test weight module is available.



LABTRONICS 919 GRAIN MOISTURE TESTER

Portable unit designed for on-farm use

Comes as a complete kit with a digital scale, Celsius thermometer, and set of charts.

For more information about custom screen orders, please call our Grain Systems division in Saskatchewan.

587.206.8356



CUSTOM SCREENS

Screens are available for almost any make or model cleaner and can be shipped anywhere in North America.



SLOTTED SCREEN

SCREEN TYPES

- Round Hole, Slotted, Double Cut Triangle
- Special Order: Wire Mesh, Stainless Steel Material, Stop Perforated, Bulk Perforated



ROUND HOLE SCREEN

WOOD & ALUMINUM FRAMES

- Custom built to your specifications



DOUBLE CUT TRIANGLE BUCKWHEAT

36" WIDE SHEETS

- 4/64 – 32/64 Round Hole Screen sq. ft.
- 4/64 – 14/64 Slotted Screen sq. ft.

48" WIDE SHEETS

- 4/64 – 32/64 Round Hole Screen sq. ft.
- 3/64 – 18/64 Slotted Screen sq. ft.
- Buckwheat Screen sq. ft.

HAND SIEVES

- Durable hand sieves designed for excessive use in tough environments
- Many sizes available



WOOD HAND TESTERS

- Economical hand tester kits
- Changeable screen inserts available
- Assorted kits available



Grader shells, scalper reels, and indent shells are also available.

SUGGESTED SCREEN SIZES FOR VARIOUS COMMODITIES



SPRING WHEAT Scalping: 12-14/64 round hole
Sifting: 5.5-6/64 slot



DURUM WHEAT Scalping: 15-16/64 round hole
Sifting: 5.5-6/64 slot



RYE Scalping: 12-13 round hole
Sifting: 5-5.5 slot



BARLEY Scalping: 16-18/64 round hole
Scalping: 10-12/64 slot
Sifting: 5.5-6/64 slot



OAT Scalping: 18-20/64 round hole
Scalping: 9-10/64 slot
Sifting: 5-6/64 slot



ESTON LENTILS Scalping: 15-16/64 round hole
Sifting: 8-10/64 round hole (fines)
Sifting: 5/64 slot (splits)



LAIRD LENTILS Scalping: 18-22/64 round hole
Sifting: 12-13/64 round hole
Sifting: 5/64 slot (splits)



FLAX Scalping: 3.5-4.5/64 slot or 4x14 wire mesh
Sifting: 5.5/64 round hole



CANARY SEED Scalping: 5/64 slot
Sifting: 4.5-5/64 round hole
Sifting: 3/64 slot



PEAS Scalping: 20-24/64 round hole
Sifting: 10-14/64 slot



CHICKPEAS Scalping: 26-32/64 round hole
Sifting: 12-16/64 slot



SOY BEANS Scalping: 20/64 round hole
Sifting: 10/64 slot



KIDNEY BEANS Scalping: 28/64 round hole
Sifting: 14/64 slot



CORN Scalping: 26-28 round hole
Sifting: 16-18 round hole



ALFALFA Scalping: 4.5/64 round hole
Sifting: 6x22 or 24 wire



CANOLA Scalping: 6.5-8/64 round hole
Sifting: 3-3.5/64 slot



MUSTARD Scalping: 6-8/64 round hole
Sifting: 3.5-4/64 slot



HEMP Scalping: 12-14 round hole
Sifting: 5.5-6 slot

Gooseneck Portable Bench with Gravity Table & Debearder

Portable Plant Bench with Gravity Table



GRAIN CLEANERS

BENCH AIR & SCREEN GRAIN CLEANERS

Gentle feeder will not damage your crops

FEATURES

- An affordable way to clean your grain
- Large cleaning deck with a gentle vibratory feeder for accurate air separation
- Low horsepower requirements
- Designed for durability and accuracy
- Easy to change screens

Specialty and custom-built units also available



BENCH 54108 MOBILE UNIT



BENCH MARKET



BENCH FULL SIZE



BENCH MID-SIZE



BENCH MINI

MODEL	MARKET	54108	DOUBLE SHOE	FULL SIZE	MID SIZE	MINI
Capacity	1,500 BPH <i>dockage removal</i>	500 BPH <i>for wheat</i>	500 BPH <i>for cereals</i>	300 BPH <i>for cereals</i>	100 BPH <i>for cereals</i>	30 BPH <i>for cereals</i>
Screen Size	54" x 36" (6)	54" x 36" (9)	54" x 36" (12)	54" x 36" (6)	36" x 54" (2)	27" x 36" (2)
Deck Size	54" x 108"	54" x 108"	54" x 72"	54" X 72"	36" x 54"	27" x 36"
Horsepower	5 HP on Fan 2 HP on Shoe	7.5 HP on Fan 3 HP on Shoe	10 HP on Fan 3 HP on Shoe	5 HP on Fan 2 HP on Shoe	3 HP on Fan 1 HP on Shoe	2 HP on Fan 1/2 HP on Shoe
Width	Please call	Please call	8' 1"	6' 8"	4'	3'
Height	Please call	Please call	8'	5' 6"	4' 10"	4'
Weight	Please call	Please call	4,500 lbs	2,400 lbs	1,780 lbs	580 lbs


KWIK KLEEN GRAIN CLEANERS

Remove dockage and reduce the chance of overheating by pre-cleaning your grain before shipping or storing it.

FEATURES

- Used for sizing barley and removing small seeds and other dockage
- Easily removable screens
- More than 20 screen sizes available
- Quick and easy clean out

HYDRAULIC 772 MODEL



Available with electric or hydraulic drive



HYDRAULIC 572 MODEL

MODEL	DIMENSIONS	NUMBER OF AUGERS	CAPACITY	DRIVE	TUBES	SCREENING AUGER
572	108" x 58"	5 x 72"	7"– 8" Auger	12–13 GPM or 5 HP	5	4"
772	108" x 72"	7 x 72"	10" Auger	14–15 GPM or 7.5 HP	7	4"

GCS GRAIN CLEANERS

Gentle, fan powered grain cleaning

FEATURES

- No screens required
- Simple to run
- Low energy consumption
- Low initial cost
- Easy transition between different types of crops



GCS 450

GCS SCALPER

- High-capacity and cost-effective
- Removes large dockage at up to 1,000 BPH
- Comes with three screens



GCS 600 DOUBLE SHOE

- Scalps and sifts
- Two separations in one pass
- Comes with six screens



MODEL	GCS 200	GCS 450	GCS 600 DOUBLE SHOE	GCS 750	GCS 1000	GCS 1000 SCALPER	GCS 1400	GCS 2200
Capacity	200 BPH	450 BPH	600 BPH	750 BPH	1,000 BPH	1,000 BPH	1,400 BPH	2,200 BPH
Motor	3/4 HP	1.5 HP	1/3 HP	2 x 3 HP	2 x 1.5 HP	1/3 HP	2 x 5 HP	3 x 1.5 HP
Dimensions (L x W x H)	81"x19"x90"	94"x30"x 94"	79"x62"x68"	71"x47"x95"	94"x51"x94"	79"x56"x94"	91"x55"x95"	95"x74"x108"
Weight	400 lbs	800 lbs	700 lbs	1,600 lbs	1,800 lbs	500 lbs	1,900 lbs	2,500 lbs

AGI GRAIN VACS

Quiet, fast, and easy to use.



MODEL	VRX
Capacity	6,000 BPH
HP	85
Weight	2,950 lbs



MODEL	VR12
Capacity	10,000 BPH
HP	130
Weight	3,300 lbs

AGI VRX & VR12 GRAIN VACS

Sets the standard in efficiency, speed, and durability.

By utilizing VR technology, these machines are able to get more capacity, while reducing noise, debris, and maintenance time.

STANDARD FEATURES

- Drive shaft mounted on the outside for easy access
- Leak-proof cleanout doors can be opened without tools
- Fan lasts 25% longer than previous models
- Air throttle can manually adjust the suction to suit grain type
- Spring-loaded two flap air lock
- Chrome augers for increased durability and ¼" thick spring-loaded chrome flighting
- Self-contained gearbox



OPTIONAL VRX DUST COLLECTOR

Don't let a little dust get in your way of moving grain.

The optional VRX dust collector is easy to attach and gives you flexibility to collect or direct the debris.

WALINGA GRAIN VACS

Designed for maximum performance.



MODEL	6614 DLX
Capacity	3,200 BPH
HP	110 to 130
Weight	3,014 lbs



MODEL	7614 DLX
Capacity	5,000 BPH
HP	130 to 150
Weight	3,302 lbs

WALINGA AGRI-VACS

Gives one person total grain-handling capability

Walinga DLX models offer additional wear protection with pre-cleaner and a rhino lined receiver tank and boom cyclone.

STANDARD FEATURES

- 6" and 7" PTO models
- Self-contained hydraulics
- Super hardened positive displacement blower
- Hose carrier
- Hydraulic boom rotation
- Hydraulic boom lift/lower
- Stainless steel hoses
- Rubber clean-up line
- Suction nozzle
- Dual inlets and fenders



3510 GAS Portable Self-Contained Clean Up Model

Features: 26.5 HP EFI engine, forklift pocket, portable steel discharge line, pneumatic tires, clean up line, and nozzle.



PRO GRAIN BAGGERS

PRO GRAIN B-1610

Bag up to 24,000 BPH

Featuring a 16" auger, the Pro Grain B-1610 has the capability of bagging up to 24,000 bushels per hour. This 10' bagger offers two loading options: a hopper or an auger/conveyor inlet.

PRO GRAIN B-2010H

Bag up to 32,000 BPH

The B-2010H is a 10' bagger with a hopper only option. The 20" auger allows for quick unloading of grain bags up to 32,000 bushels per hour.

**OPTIONAL ROLL TARP
AVAILABLE ON BOTH MODELS**

Pro Grain Equipment baggers are an efficient and affordable alternative to hopper bin storage.

STANDARD FEATURES

- Electric bag winch
- Brake pressure gauge
- Electric actuators
- Safety stairs and platform
- Control panel and hand wheel
- All-terrain tires

LOADING OPTIONS

- 8' x 8' big mouth loading hopper
- Telescoping swing drive, 14" transfer auger
- Telescoping swing drive, 24" conveyor



PRO GRAIN T-1425 TRANSFER AUGER Works hand in hand with your grain bagger

An economical and efficient solution for transferring grain at up to 11,500 BPH.

- Telescoping transfer auger
- 14" diameter, 25' long, 22 GPM @ 2200 PSI
- Hydraulic mover kit



PRO GRAIN EXTRACTORS

PRO GRAIN R-5 BAG ROLLER

Clean up used grain bags with ease

The redesigned Pro Grain R-5 bag roller is capable of rolling 500' grain bags into recycle-ready bales in all temperatures.

STANDARD FEATURES

- Hydraulic spear
- High-torque hydraulic drive motor
- Hydraulic bale kick
- No-catch bag guide
- Twine wrap system
- Trailer model options available



PRO GRAIN E-1610 BAG EXTRACTOR

Move up to 10,500 BPH

The Pro Grain bag extractor delivers fast, dependable, and efficient grain transfer from your grain bags to your transport truck.

STANDARD FEATURES

- 16" main auger and 9" cross auger
- Hydraulic flow controls
- Roller drive system
- Adjustable bag knife
- 80 HP required
- 15 GPM @ 2,200 PSI



HYDRAULIC FLOW CONTROL



ADJUSTABLE SPOUT



9" CROSS AUGER WITH CONTINUOUS FLIGHTING



TRIDEKON EXTRACTORS

TRIDEKON GRAIN BOSS GRAIN BAG EXTRACTOR

Move up to 12,000 BPH

Canadian-made for Canadian winters. The Tridekon Grain Boss extractor increases productivity, maximizes efficiency, and minimizes downtime.

STANDARD FEATURES

- 360° rotating unload auger
- 13" or 16" auger
- Narrow pull-through roller design
- Steerable drive wheels
- Quick set up and clean up
- 120 HP required
- 6 GPM @ 2000 PSI
- Optional 12' bag extension




360° ROTATING UNLOAD AUGER



STEERABLE REAR WHEELS



PULL-THROUGH ROLLER DESIGN



GRAIN BAGS

Increase your harvest efficiency

A cost-effective solution for temporary grain storage.

Sizes and brands vary by location.

COLOUR OPTIONS:

- Green
- Blue
- Red
- Black



BULLET AUGER
875 to 1,500 bushels

with 18" or 20" diameter bullet auger



Reduce compaction with a J&M tracked cart. Track options are now also available for mid-sized grain carts.

32 SERIES
X-Tended Reach Dual Auger Grain Carts

This high-capacity cart combines all the advantages of a front-folding, single auger design with the low profile of a dual auger grain cart.

MODEL	BU	UNLOAD TIME	AUGER SIZE
1432-22S	1,450	2.0 min	22"
2032-22	2,050	2.0 min	22"
2332-22	2,350	2.2 min	22"

* Bushel capacity measured with #2 corn at 15% moisture content
** Time varies with RPM and moisture content of grain



J&M IFARM™
BY AGRIMATICS™

A single device plugs in to load cell junction box and via Bluetooth communicates scale info to either your cell phone or tablet.



STORAGE POSITION



FIELD POSITION



UNLOAD POSITION



J&M GRAIN CARTS

12 & 22 SERIES

X-Tended Reach J&M Grain Carts

The rigid upper auger has been extended for even greater outward, upward, and forward reach, all while folding diagonally along the front of the cart for compact storage.

MODEL	BU	UNLOAD TIME	AUGER SIZE
812-18S	875	1.8 min	18"
1012-20S	1,025	1.8 min	20"
1112-20S	1,150	1.9 min	20"
1222-20S	1,225	2.0 min	20"
1412-20S	1,375	2.3 min	20"
1522-20S	1,500	2.5 min	20"
1522-20T	1,500	2.5 min	20"

* Bushel capacity measured with #2 corn at 15% moisture content

** Time varies with RPM and moisture content of grain

RIGHT-SIDE AUGER X-Tended Reach Grain Cart

With the same features as the 12 Series X-tended reach models, the right-side auger design further increases operator visibility and unloading efficiency.



- Monitors, controls, and auger are all located on the right side of your tractor
- Reduce waste and increase safety in the field
- Available with either tires or tracks

NEW



STEERABLE INLINE TANDEM GRAIN CART

Introducing the brand new steerable inline tandem grain carts from J&M. Available in 1732, 2032, and 2332 models, the inline tandem axles are steerable, and unlike others on the market, they are also steerable in reverse.

- Hydraulic suspension
- 1050/50R32 tires
- 900/60R21 tire option (1732 and 2032 models)
- Available with scales



QR150

Easily move the 48" wide skid to your half-ton truck or grain cart with the built-in fork pockets.

FLAMAN QUICK RESPONSE FIRE SUPPRESSION SKIDS



150-GAL FIRE SUPPRESSION SKID
Ideal for campgrounds, resort villages, farms, and remote communities.

This in-house designed and built firefighting unit puts an arsenal of quick-response safety equipment within easy reach.

STANDARD FEATURES

- 150 imperial gallon tank
- High pressure 2" fire pump with Honda GX200
- 100' ¾" hose on an industrial cox reel
- Scotty fire nozzle with foam cartridge
- 48" heavy duty powder-coated steel skid
- Fork pockets

Hydraulic model also available



Ask us about additional add-ons, like our skid cage

300-GAL FIRE SUPPRESSION SKID
Built by firefighters for firefighters

A fire prevention solution for rural and remote communities looking to stop wildfires before they get out of control.

STANDARD FEATURES

- 300 imperial gallon tank
- Wildland high pressure pump with Honda GX200
- 100' 1" hose and nozzle on an industrial cox reel
- 1 ½" forestry coupler
- 56" heavy duty steel skid with fork pockets
- Optional Scotty fire nozzle with foam cartridge

FIRE SUPPRESSION TRAILER PACKAGE

- 5' x 10' trailer with 12" sides
- 6,000 lb axles
- LED lights & spare tire





SCOTTY FIREFIGHTER

LIQUID FOAM APPLICATOR KITS

Keep your yardsite or worksite safe from fire

8 GPM FOAM APPLICATOR KIT

An emergency solution for farms, cabins, campgrounds, or anywhere else there is limited access to water.

- ¾" forestry / garden hose (GHT)
- 40 PSI water pressure required

15 GPM FOAM APPLICATOR KIT

Provides fast and easy delivery of Class A or Class B (AFFF) foams.

- 1 ½" hose lines (NHT/NPSH)
- Standard fixed education rates of 1%



6 GAL BRAVO BACKPACK

A portable, comfortable, and easy to use solution for mopping up wildfires.



FOAM-FAST CARTRIDGE SYSTEM

A simple and effective method of deploying Foam-Fast wetting agent onto a fire scene.

- 8 GPM system fits ¾" GHT-threaded forestry or garden hoses
- 15 GPM system fits NHT or NPSH threaded hose lines
- Includes a set of three 12" cartridges

Foam Fights Fires Fast!

Scotty Foam Applicator Kits and Foam Fast Cartridges easily attach to your hose for quick mixing. When used correctly, **foam applications can make water up to 10 times more efficient.**

BE WILDLAND SERIES FIRE PUMPS



HIGH PRESSURE 1.5" FIRE PUMP

A portable, affordable line of defense against wildfires

Fight fires from a safe distance with an 80' spray radius.

- Honda GX200
- 85 GPM @ 100 PSI
- 26' suction lift

HIGH PRESSURE 2" FIRE PUMP WITH CART

Firefighting power meets mobility

A fire suppression kit built on a convenient heavy-duty steel cart.

- Honda GX200
- 126 GPM @ 85 PSI
- 26' suction lift
- 50' of 1.5" fire hose
- 12' suction hose
- 1.5" fire fog nozzle



HIGH PRESSURE 2" FIRE PUMP KIT Spray 80' at 126 GPM with the Powerease 225 engine

This complete firefighting kit includes all of the accessories needed to fight fire effectively.



CONVEY-ALL SEED TENDERS



WIRELESS REMOTE



SIDE MOUNTED CONVEYOR



SIX COMPARTMENTS WITH ROLL TARP

CONVEY-ALL CST-1550 COMMERCIAL SEED TENDER

Take your seeding to the next level

The high-capacity Convey-All CST-1550 is designed to transport seed and fertilizer simultaneously without damage or cross-contamination and unloads at a rate of 2 tons per minute.

STANDARD FEATURES

- Capacity of 1,250 bushels
- 6 compartments with roll tarp
- Stainless steel conveyor, slopes, and gate
- Self-contained hydraulics
- External ladders
- Tri-axle air ride trailer
- Wireless remote



TIER 4 KUBOTA DIESEL ENGINE



OPTIONAL SCALE KIT AVAILABLE



CONVEY-ALL SEED CARTS


CONVEY-ALL CSC-1545 COMMERCIAL SEED CART

High-volume seeding solution

Working with your existing conveyor, the Convey-All CSC-1545 side draw seed tender features a side-drop chute system with stainless steel slopes and gates for quick, effortless unloading.

STANDARD FEATURES

- Capacity of 1,250 bushels
- 6 compartments with roll tarp
- Stainless steel slopes and gates
- Side drop chutes
- External ladder
- 2 sight glasses per compartment
- Tri-axle air ride trailer



Optional Stainless Steel Chutes Available

SIDE DROP CHUTES



SIGHT GLASSES



OPTIONAL ELECTRIC GATE CONTROLS



OPTIONAL REMOTE CONTROL



SIX COMPARTMENTS WITH ROLL TARP



HAUL ALL SEED TENDERS



40' TRIDEM CHASSIS TRAILER



SIDE DRAW CHUTE SYSTEM



LED LIGHT PACKAGE

HAUL ALL INDUSTRIES SIDE DRAW SEED TENDER

Improve your seeding efficiency

A versatile and economical solution for bringing seed and fertilizer to the field in the spring and hauling your harvest back to the bins in the fall.

STANDARD FEATURES

- Capacity of 1,260 bushels
- 4 hoppers
- 40' tri-axle trailer with steel rims and rear mudflaps
- Side draw chutes
- 12 view glasses
- Manual roll tarp
- Ladders
- Crank handles

**NEW 45'
FIVE HOPPER MODEL
ALSO AVAILABLE**

OPTIONS

- Electric gate kit
- Remote control
- Electric tarp
- Stainless steel gates and chute
- Epoxy paint coating
- LED lights package
- Mud flap/fenders package
- Aluminum rims
- Rock guard protection
- Catwalk



HAUL ALL GRAIN TRAILERS

HAUL ALL INDUSTRIES 45' TRIDEM GRAIN TRAILER

Built for heavy-duty work on the farm

Tough, easy to operate, and field ready. The Haul All GT45 tri-axle grain trailer is loaded with features for rugged work on the farm.

STANDARD FEATURES

- 33° front and rear hopper slopes
- 16" x 23" gate with 24" clearance
- Angled gate cranks
- Aluminum ladders, catwalks, and inner steps
- 24.5 steel rims and tires
- Full coverage mudflaps
- Interior epoxy paint for corrosion resistance
- Rock guard
- Sight glass windows
- Air ride suspension
- LED light package

OPTIONS

- Electric roll tarp
- Side chutes
- Electric gate controls
- Dual side cranks
- Aluminum rims

36' TANDEM GRAIN TRAILER MODEL ALSO AVAILABLE



CAPACITY OF 1,480 BUSHELS



SLANTED FENDERS



FRONT & REAR LADDER W/ PLATFORM



BRUNS GRAIN WAGONS



DOUBLE SIGHT WINDOWS



OPTIONAL SCALE KIT



MICHEL'S ROLL-UP TARP

Michel's Industries roll-up tarps are installed on all of our farm wagons.

BRUNS GRAVITY WAGON

Quality Canadian-made gravity bins

Bruns grain wagons are made to high-quality standards and come with many features that make them versatile, durable, and easy to use.

STANDARD FEATURES

- 12 ton or 20 ton running gear
- Double sight windows
- Small door for easy access
- Interior bin ladder
- Roll-up tarp
- Easy climb external ladder
- Solid welded insided and out
- Powder coated paint

OPTIONS

- Scale kit
- Double compartment with centre divider
- Spring balancer
- Colour and customization options available

**OPTIONAL TWO COMPARTMENT DIVIDER
AVAILABLE ON BOTH BRUNS MODELS**



KINZE MACH TILL

KINZE HIGH SPEED DISC

Heavyweight Power. High Field Speed.

The Kinze Mach Till is a heavy-duty, low maintenance high-speed disc that prepares seed beds in the spring and incorporates residue in the fall.

STANDARD FEATURES

- 20' to 41' widths available
- 20" or 22" double-V disc blades
- Heavy duty rubber packers with Maxlite scrapers
- Large flotation tires
- Right and left hand gauge wheels

BENEFITS

- Operates at high speeds without creating compaction
- Covers up to 60 acres per hour for improved productivity
- Hydraulically controlled disc depth
- Nutrient cycling, improved water infiltration, and reduced erosion
- One tool for spring and fall
- Narrow machine width for safe and easy transport from field to field
- Low maintenance features provide many hours of maintenance-free operation



LARGE FLOTATION TIRES



RUBBER ROLLERS WITH SCRAPERS



**DOUBLE V BLADES
NOTCHED FRONT, SMOOTH BACK**



KELLO-BILT DISCS



NOTCHED DISC BLADES



OPTIONAL WAVY DISCS



MODEL 800 HD OFFSET DISC

A rugged breaking disc designed for reclaiming land and for the construction industry.

KELLO-BILT DISCS

Kello-Bilt. Flaman-Priced. Field Ready.

Durable, low-maintenance heavy breaking discs manufactured in Canada. Available cutting widths range from 10' to 20' (offset) and 23' to 38' (tandem).

STANDARD FEATURES

- 26" to 36" standard notched disc blades
- Low maintenance oil bath bearings
- Welded steel spacer spool
- High carbon steel gang shafts and end washers
- Bearing standards and wear plates
- One-piece welded gang bar
- Offset and tandem models available

OPTIONS

- Wavy discs blades
- Rear hitch and light kit

BENEFITS

- Ideal for plowing down heavy residues and breaking up the compaction layers in your field
- Heavy duty construction withstands acres of rough use



WISHEK HEAVY DISCS

WISHEK BREAKING DISCS

Heaviest weight-per-blade in the agricultural industry

These heavy-duty breaking discs work in almost all soil conditions and crop residue. Available cutting widths range from 10' to 18' (offset) and 22' to 38' (tandem).

STANDARD FEATURES

- 30" smooth blades
- Hydraulic leveler
- Spool and bearing scrapers
- Spring cushioned gangs
- Single-point depth control
- 11" blade spacing
- Truck tires
- Approximately 1,000 lbs/ft

OPTION

- Notched disc blades



STANDARD SMOOTH BLADES



OPTIONAL NOTCHED DISCS



Special Order

MODEL Y2000

From its massive frame to its 36" blades, the Y2000 disc is designed to withstand the tough conditions of the construction industry.



SPRING CUSHIONED GANGS



BRILLION RIPPERS



SMOOTH COULTER BLADES



HEAVY-DUTY STEEL FRAME



DEEP RIPPING SHANKS

BRILLION RIPPER

Available with 5 to 16 shanks

Built to handle the stresses of deep ripping in hard, compacted soil, Brillion rippers/subsoilers effectively shatter hardpan, improve moisture retention, and enhance root development.

STANDARD FEATURES

- Straight leg or parabolic shanks
- Hydraulic or spring auto-reset
- Deep ripping up to 20"
- 22" pre-cut smooth coultur blades
- Tow caddy for easy transport
- Heavy-duty steel frame
- LED warning lights



Parabolic shanks with hydraulic trip

Straight leg shanks with spring trip



LANDOLL WEATHERPROOFER

LANDOLL WEATHERPROOFER

Break up soil compaction and give your seed room to breathe, absorb, and grow.

Featuring a combination of parabolic auto-reset shanks, tandem disc gangs, and a 3-bar tine and chopper reel, the Landoll Weatherproofer improves soil tilth, accelerates residue breakdown, and maximizes water absorption in a single pass.

STANDARD FEATURES

- Available widths from 12' to 26'
- Fixed disc gangs
- Single-point depth control
- Auto-reset shanks
- 3-bar tine and chopper reel combo
- Adjustable front gauges
- Self-leveling hitch
- Heavy-duty scrapers
- Walking tandems
- Safety chain
- Safety warning lights
- Spare tire



AUTO-RESET SHANKS



FIXED DISC GANGS



3-BAR TINE & CHOPPER REEL



SCHULTE DISC HARROW



36' WORKING WIDTH



60' WORKING WIDTH



OPTIONAL VALMAR KIT

SCHULTE SOILSTAR DISC HARROW

Heavy-duty, all-inclusive field prep

Help manage increased straw residue, quicken soil warming, and increase water penetration. The Schulte DHX does it all with its double row of wavy coulters and five bar heavy harrow.

STANDARD FEATURES

- 36' or 60' widths available
- 3 or 5 sections
- Two rows of 18" wavy coulters
- Five bars of 5/8 x 26" heavy harrow tines
- Torflex mount on disc blades
- Hydraulic lock for wing tension links
- Single point depth control
- Steerable wing wheels
- Optional valmar kit available



Double row of wavy coulters



Five rows of heavy harrow tines



SCHULTE 7-BAR HARROW

NEW

SCHULTE SOILSTAR 7-BAR HEAVY HARROW

Unique 7-bar harrow design

Prep your soil bed for seeding or manage residue after harvest. The new Schulte SHX offers a combination of light and heavy tines to distribute material more evenly, break up straw, and move ground more aggressively.

STANDARD FEATURES

- 60' or 84' widths available
- 5 or 7 harrow sections
- 3 front rows of 5/8 x 28" Max Life tines
- 4 back rows of 1/2 x 28" Max Life tines
- Hydraulic harrow pressure system
- Hydraulic lock for wing tension links
- Large flotation tires
- Optional electric in-cab control monitor



HIGH-WEAR MAX LIFE TINES



HYDRAULIC HARROW CONTROL CYLINDER



Three rows of 5/8 x 28" tines



Four rows of 1/2 x 28" tines



ELECTRIC CONTROL MONITOR



RITEWAY LAND ROLLERS

F-3 SERIES

3 Section Roller

32' to 52' widths
 17,640 to 24,400 lbs
 F3-NT narrow transport
 model available (12')
 Heavy roller option

F-5 SERIES

5 Section Roller

46' to 84' widths
 23,000 to 40,320 lbs
 Wing tire bar
 Heavy roller option

F-7 SERIES

7 Section Roller

65' to 89' widths
 32,500 to 41,190 lbs
 Wing tire bar



LARGE 42" DRUMS



FORWARD UNFOLD

The forward unfolding system goes from transport mode to field mode in minutes.



SHORTER DRUM SECTIONS

The shorter drum sections float independently, ensuring you roll every inch of your land evenly.

RITEWAY LAND ROLLERS

The heaviest land rollers on the market

RiteWay land rollers apply uniform weight and consistent surface contact across your field, providing even germination, faster spraying, robust crops, and a trouble-free harvest.

STANDARD FEATURES

- 32' to 89' widths available
- Forward unfolding system
- Taper lock replaceable drum shaft
- Auto-fold hydraulic wing lock
- Heavy-duty frame
- Safety chains and light package
- 14' transport width

HEAVY ROLLER OPTION

Comes standard up to 62'

- 17.5 tire upgrade
- 5/8" drum thickness



RITEWAY HARROWS

RITEWAY HARROWS

Clear the way for worry-free seeding

Spread and break up trash and residue, while raking and leveling the ground to provide optimal seeding conditions.

STANDARD FEATURES

- Hydraulically controlled tine angle
- High wear tines
- Auto-fold hydraulic pivot wheel
- Parallel linkage system (5 & 7-bar)
- Solid pull draft arm
- Adjustable hitch height
- Heavy-duty frame
- Safety chains and light package

OPTION

- Valmar applicators



7-BAR HARROW



5-BAR HEAVY HARROW



ROTARY HARROW

7200 SERIES 7-Bar Mid Harrow

58' to 82' widths
14' 9" transport width
1/2" x 24" tines with high wear tips

8200 SERIES 5-Bar Heavy Harrow

55' to 90' widths
14' 7" transport width
9/16" or 5/8" x 28" tines with high wear tips

8200-NT SERIES Narrow Transport

40' to 73' widths
9' 2" transport width

RH 9200 SERIES Rotary Harrow

22' to 75' widths
13' 8" transport width
3/4" x 18" interlocking, quick adjustment tines



DUTCH BIOSPREADER



BETTER MANEUVERABILITY



SIDE EXTENSIONS



TANDEM WALKING BEAM AXLE

DUTCH INDUSTRIES BIOSPREADER PTX

Engineered for any size operation

Dutch Industries Ltd. designed a manure spreader addressing producer's biggest challenges: affordability, load capacity, maintenance, maneuverability, spread consistency, and uniformity.

STANDARD FEATURES

- 540 cu/ft or 670 cu/ft capacity
- 1000 PTO
- 86' or 93' loading height
- Tandem axles
- 150 to 200 HP required
- Side extensions
- LED light kit



Heavy-duty robust construction



Low profile skid steer loading

Special order in Saskatchewan & Manitoba

DOYLE FERTILIZER TENDERS

NEW

DOYLE FERTILIZER TENDER

6 ton or 8 ton models available

Heavy duty, durable fertilizer spreaders with capacities up to 266 cu/ft.



6 TON Fertilizer Tender

204 cu/ft hopper
34° side slope
14' 6" tandem 8,000 lb axle
50' spread width

STANDARD FEATURES

- Detachable stainless steel hopper
- 2" x 6" HD mild steel trailer
- 8" wide x 1" stainless steel conveyor chain
- Twin 4 blade dish spinners
- SRT tarp with stainless end caps
- Manual hydraulic press wheel engagement
- LED lights with wiring harness
- Corrosion resistant

OPTIONS

- Hydraulic drive
- 540/1000 RPM PTO pump
- 1 axle surge brake system



8 TON Fertilizer Tender

266 cu/ft hopper
40° side slope
18' tandem 10,000 lb axle
60' spread width

Available in Alberta only

FERTILIZER SPREADERS

Sovema Fertilizer Spreader

Sovema 3-point hitch fertilizer spreaders feature a steel hopper and quickly spread fertilizer, sand, and salt.

Capacity: 1,250 lbs

Available in Alberta only



**BRABER ATV
PULL MODEL
ALSO
AVAILABLE**



Braber Fertilizer Spreader

Braber 3-point hitch fertilizer and grass spreaders feature a heavy duty poly hopper and stainless steel insert.

Capacity: 1,160 lbs

Available in Saskatchewan & Manitoba only



SCHULTE ROTARY CUTTERS



XH-1500 SERIES 5 Industrial grade rotary cutter

STANDARD FEATURES

- 15' cutting width
- Heavy-duty drive system
- Tandem walking axles
- Deck protection rings
- Safety light kit
- Reinforced gearbox



5026 ROTARY CUTTER Extra wide 26' 2" cutting width

- Designed to cut grass, light brush, and crop residue
- Contours uneven terrain with 10' maximum frame section widths
- Optional fixed knife shredding kit



FX-1800 Midsize rotary cutter

- 15' cutting width
- 6.5" blade overlap and high blade tip speeds
- 7 gauge stump jumper
- Optional fixed knife shredding kit



FLX-1510 Optional Flex Arm

Allows the operator to travel on the road while the rotary mower cuts the ditch slope, improving visibility and safety. Available on 10' and 15' cutters.



FX-318 ROTARY CUTTER Designed for farm and ranch cutting

- 18' cutting width, 93' transport width
- Flex wing design contours to any terrain
- Mow crop residue, pastures, weeds, orchards, and roadsides



GX-130 & GX-150 An economical cutting solution

- 13' or 15' cutting width
- Flex wing rotary cutter
- Super suction blades provide maximum grass lift and cut



FX-209 Rigid deck mower

- 9' cutting width
- Rigid single domed deck construction
- Pull type or three point hitch configurations

ROTARY CUTTERS & MOWERS

IRONCRAFT ROTARY CUTTERS

Handle weeds, grass,
and brush with ease.



Available in Alberta only

1200 SERIES Standard Duty

4' to 6' widths
15 to 65 HP
Shear pin PTO

1600 SERIES Heavy Duty

6' and 7' widths
45 to 100 HP
Slip clutch PTO

300 SERIES Medium Duty

5' and 6' widths
30 to 85 HP
Slip clutch PTO

1600 SERIES Dual Spindle

8' and 10' widths
3-point and pull type
options
60 to 100 HP

SOVEMA FINISHING MOWERS

Tough, versatile,
and built for years of
dependable service.

EM-3 SERIES Finishing Mowers

60", 72", or 84" widths
540 PTO
15 HP to 40 HP



Available in Alberta only

BRABER EQUIPMENT ROUGH CUT & FINISHING MOWERS

ROUGH CUT MOWERS Standard Duty

48" to 72" widths
Shear pin PTO
50 HP gearbox rating



ROUGH CUT MOWERS Heavy Duty

72" to 84" widths
Slip clutch PTO
70 HP gearbox rating



FINISHING MOWERS Heavy Duty

48" to 96" widths
540 PTO
20 HP to 45 HP rating



Available in Saskatchewan & Manitoba only

SCHULTE ROCK REMOVAL



NEW RW-1935 SPARTAN ROCK PICKER

A rock picker and windrower in one machine

- Up to 19' coverage
- 3.5 cubic yard bucket
- Picks 2" to 27" rocks up to 4.25" deep
- 8' 7" dumping height
- Heavy-duty spring-loaded batts and 1.5" spaced T-iron grate
- Tandem walking axles

Proven
**RENTAL
TOUGH**



RS-320 JUMBO ROCK PICKER 2x capacity of an average picker

- Large 3.2 cubic yard hopper
- Removes 2" to 28" surface rocks
- Durable grate eliminates jamming and lets soil sift through



TITAN 5000 ROCK PICKER

- 5 cubic yard bucket
- 6.5 foot tall dump height for larger piles and truck loading
- Super wide 7' grate with wide or narrow spacing options



HIGH RISE 8000 ROCK PICKER

- Durable grate eliminates jamming and lets soil sift through
- Build larger stone piles or dump directly into tandem truck



GIANT 2500 ROCK PICKER Features a 60" picking width

- Picks 2" to 27" rocks
- Large 2.5 cubic yard hopper
- Durable T-iron grate with 1½" spacing



SRW-1000 & 1400 ROCK WINDROWER

- Windrows 2" to 25" rocks into uniform rows
- 10' or 14' drum width
- Optional ditch gravel reclamation high speed sprocket



SMR-600 & 800 SKID STEER MULTI RAKE WINDROWER

- 6' and 8' sizes
- The perfect tool for your skid
- Optional boom attachment

SNOW BLOWERS



SCHULTE RDX-117 117" 3-Point Hitch Snow Blower

Features a hydraulic chute and deflector and a rotating drum to eject snow out the side or top chute



SCHULTE SBX 87" Skid Steer Snow Blower

Includes mounting plate, harness, and hydraulic valve block



SCHULTE FM-350 Mount your snowblower on the front!

Moves PTO and 3PT from the back to the front for improved visibility and ergonomics



SCHULTE SDX-102 & SDX-117 3-Point Hitch Snow Blowers

- SDX-102 Model: 102" / 500 PTO
- SDX-117 Model: 117" / 1000 PTO gear-driven
- Heavily reinforced bottom auger ensures snow and ice are fed into the fan with ease
- 300° rotating chute mitigates chute freeze up
- Double deflector design reduces snow blow back

BRABER EQUIPMENT 3-Point Hitch Snow Blowers

- Sizes range from 60" to 88"
- Cat I, three-point hitch
- Heavy duty adjustable skid shoes
- Manual adjustable chute deflector
- Removable side extensions
- Removable telescoping hitch
- 24" impeller with 5" paddles
- Manual 340° chute



**OPTIONAL HYDRAULIC
CHUTE ROTATION ON
SOME MODELS**

*Available in Saskatchewan
& Manitoba only*

S.HOULE BOX SCRAPER

Level any surface from gravel roads to fields.



HLL Series Box Scraper

STANDARD FEATURES

- 8', 10', and 12' widths available
- 30" blade height
- 40 to 110 HP

OPTIONS

- Left or right hand tilt
- Scarifying teeth
- Light kit
- GPS mast



ICON PULL GRADER

Level fields, grade roads, remove snow, and dig ditches with complete control.

STANDARD FEATURES

- Three-way hydraulic operation to raise/lower, tilt, and blade swing
- 45° blade swing / 15° tilt
- Fold down box ends on blade
- Rear steering
- 16' width
- Pintle swivel hitch
- Standard transport safety features



Available in Saskatchewan & Manitoba only

IRONCRAFT EQUIPMENT

3100 SERIES Standard Duty Box Blade

- 5' or 6' widths
- 4 or 5 shanks
- 15 to 45 HP



3200 SERIES Heavy Duty Box Blade

- 7' width
- 6 shanks
- 30 to 70 HP



7400 SERIES Heavy Duty Disc Harrow

- 20" blades
- 50 to 70 HP



Available in Alberta only

SOVEMA ROTOTILLERS

Designed for all types of terrain.

LASER SERIES Side-Shift Tiller

40" to 56" widths
12 to 35 HP

RBS SERIES Side-Shift Tiller

60" widths
30 to 45 HP

RB SERIES Fixed Tiller

60" to 64" widths
30 to 40 HP

RP SERIES Fixed Tiller

64" to 80" widths
35 to 60 HP

RE SERIES Fixed Tiller

80" to 88" widths
55 to 85 HP

RTX SERIES Fixed Tiller

100" to 140" widths
80 to 180 HP

FOR LANDSCAPING AND
INDUSTRIAL APPLICATIONS



Available in Alberta only

BRABER ROTOTILLERS

3-Point Hitch Rototillers

STANDARD FEATURES

- 47" to 79" widths available
- 540 PTO
- 6.5" tillage depth
- 20 to 50 HP
- Six C-shaped tines per flange
- Skid shoes for depth control



Available in Saskatchewan & Manitoba only

TERRA FORCE ROTOTILLERS

3-Point Hitch Rotary Tillers

STANDARD FEATURES

- 42" to 102" widths available
- Chain and gear driven models
- 72" and larger models have oil bath drive beating
- Slip clutch PTO



Available in Alberta only



AGI POST POUNDERS



RENEGADE & RENEGADE+ TRAILER MODEL
660 lbs hammer weight

Pounds posts up to 11' 11" tall
Renegade+ model pounds posts up to 13' 8" tall with 720 lbs of hammer pressure
Shown with optional pilot auger



OUTLAW & OUTLAW+ 3PT SIDE MAST
660 lbs hammer weight

Pounds posts up to 11' 11" tall
Outlaw+ model pounds posts up to 13' 8" tall with 720 lbs of hammer pressure
Low centre of gravity & wide stance for added strength and stability



SHERIFF SKID STEER OR 3PT CENTRE MAST
660 lbs hammer weight

Pounds posts up to 11' 3" tall
Self-contained hydraulic system
Centre mast configuration improves centre of gravity and stability of the unit



POST HUGGER
Helps align posts for added convenience and safety. Square and T-post huggers available.



OPTIONAL PILOT AUGER
Drills all soil conditions and most rock obstructions up to 40".

KOENDERS SWATH ROLLERS

Pull Behind or Direct Mount

Made from heavy-duty poly to avoid rust and dents. The ribbed drum design packs and tucks swath to prevent bunching.



Available in Alberta only

SOVEMA HAY RAKES

Save time and fuel with a Cropmaster Hay Rake

STANDARD FEATURES

- Available with 10, 12, and 14 wheels
- Zinc-plated raking wheels
- Reinforced frame for extra durability
- Speed up drying time
- Spring loaded to adapt to the contours of the field
- Ideal for uneven hay land

OPTIONAL TANDEM REAR WALKING WHEELS



BALE SPEARS

3-Point & Skid Steer Bale Spears



Brand and models vary by province

BALE CARTS



Proven
**RENTAL
TOUGH**



RITEWAY BALE CART

Move up to 1,000 bales a day

- Pick bales from 48" to 72" in diameter
- Gently gather bales without damaging the wrapping
- Comes with steel twine guards to protect wheel bearings from bale twine

BRILLION SEEDERS



Pull type, skid steer, and 3-point hitch grass seeders

STANDARD FEATURES

- Ag Seeders, Landscape Seeders, and Till 'N Seed models available
- 6' to 12' cutting widths
- High capacity seed meters
- Large notched front roller
- Ensure precise metering and consistent depth of seed placement for proper germination



SURE STAND
GRASS SEEDER



TILL 'N SEED

PALLET FORKS

Bucket & Skid Steer Pallet Forks

Brand and models vary by province



LEVEL WIND WIRE SPOOLER

Uses existing tractor hydraulics

Receiver mounts to tractor drawbar or front end loader
Optional 3-point hitch mount available



BRABER WOOD CHIPPERS

3-Point Hitch Wood Chippers

STANDARD FEATURES

- 4" or 6" models available
- 540 PTO / 18 to 45 HP
- Multi-positional discharge angle
- Special hardened blades (1 fixed, 4 rotating)
- 360° chute rotation
- Gravity feed



15 HP GAS MODEL
ALSO AVAILABLE

Available in Saskatchewan & Manitoba only



BUFFER VALLEY PRODUCTS

Storage solutions for feed, fertilizer, and treated seed.



Stacks inside or on top of each other

40 BUSHEL PALLET BIN

Safely store leftover seed in an easy to move container.

- 40 bu / 48 cubic feet
- 1 metric ton weight rating
- 49' W x 49' L x 51' H
- 15° hopper bottom slope with centre discharge
- Snap-on friction-fit lid
- Eyelets for overhead lifting
- Weather and rodent resistant



40, 50 & 100 BUSHEL PALLET BINS

Versatile, portable storage of grain, feed, and fertilizer.

- 40 bu to 100 bu / 50 cubic feet to 120 cubic feet
- 1-2 metric ton weight rating
- Steep hopper slope for quick and easy unloading
- Tie down pockets
- Heavy duty steel stand
- UV resistant and rodent proof



100 & 150 BUSHEL HOPPER BINS

Stationary hopper bottom bins for livestock and grain producers.

- 100 bu / 120 cubic feet 12' tall on stand
- 150 bu / 180 cubic feet 16.5' tall on stand
- 55° hopper bottom slope
- Adjustable boot and slider
- Heavy duty bolted stand
- Weather and rodent resistant



U-DRAIN FLOOR DRAIN

NORSTAR U-DRAIN FLOOR DRAIN Residential and commercial floor drainage system

Permanently cemented into your structure, U-Drain substitutes the traditional grate system with a pre-engineered slotted-trench design system with an easily accessible sump.

FEATURES

- Grate-free floor drainage
- Easy to install
- Built to last
- Low maintenance and easy to clean
- Versatile
- Cost-effective
- Options available to customize your ideal drainage solution

RESIDENTIAL Applications include:

- Home garages
- Pools
- Driveways
- Walkways



COMMERCIAL Applications include:

- Farm shops
- Heavy equipment shops
- Parkades
- Aircraft hangars
- Equipment storage
- Fire halls
- Service centres
- Manufacturing facilities



Ideal for farm, industrial, automotive, and more!



MAGNUM FUEL TRAILERS

NEW TRIDEM GOOSENECK FUEL TRAILER

Transport Canada Approved

With 1,000 imperial gallons of fuel storage, the tridem fuel cannon can keep three combines and one grain cart tractor working.

STANDARD FEATURES

- 7,000 lb Torflex axles with electric brakes
- Gas fuel pump with electric start Honda engine
- Accurate meter
- Filter spring rewind reel
- 1 ¼" x 35' arctic hose
- Swivel and auto nozzle
- 150 gal DEF tank
- Electric DEF pump with hose and reel
- Tool storage cabinets
- 2 in 1 air compressor and generator



**1,000 IMP GAL
TRIDEM TRAILER**

NEW TANDEM FUEL TRAILERS

Transport Canada Approved

With 500 or 660 imperial gallons of fuel storage, these tandem fuel trailers provide plenty of refueling capacity so you can spend more time in the field.

STANDARD FEATURES

- 500 or 660 imperial gallon fuel tank
- 7,000 lb Torflex axles with electric brakes
- Gas fuel pump with electric start Honda engine
- Accurate meter
- Filter spring rewind reel
- 1 ¼" x 35' arctic hose
- Swivel and auto nozzle
- Storage cabinets

OPTIONS

- 100 gal DEF kit
- Side compartment tool storage cabinet
- Air compressors or generators



**2 IN 1 GENERATOR &
AIR COMPRESSOR**



**500 OR 660 IMP GAL
TANDEM TRAILER**

Special Order in Alberta



FUEL LOCK

FUEL LOCK PERSONAL

Secure fuel storage for personal use.

- Single user PIN entry
- Connect to new and existing pumps
- Automatic tank locking system
- Compatible with 120/240V pumps
- Weatherproof enclosure
- Upgrade to Fuel Lock Business anytime

FUEL LOCK BUSINESS

Secure, view, and track your fuel.

All features of Fuel Lock Personal plus:

- Daily, weekly or monthly usage reports
- Manage multiple employees and equipment
- Track employee usage and frequency
- Get real-time notifications about fuel usage
- Small to large farms with bulk fuel tanks



REAL-TIME ALERTS & USAGE REPORTS



CONNECT TO NEW & EXISTING PUMPS



MANAGE MULTIPLE EMPLOYEES



DIESEL & DEF TANKS

ENDURAPLAS TANKS

Comes ready-to-use with a pump, gun, and auto shut-off nozzle.

- Available in 25, 50, 75, and 100 US gallon
- Compact and narrow models available
- Flow rate of 10 GPM (diesel) and 8 GPM (DEF)
- DEF tanks are designed to safely handle and store corrosive diesel exhaust fluids



BRABER DIESEL TANK

Comes with pump, hose, and auto shut-off nozzle.

- 106 US gallon
- 40 LPM / 10.6 GPM
- 12V open flow
- 45.5" x 32" x 27"

PUMPS & ACCESSORIES

8 GPM to 35 GPM GPI Fuel Pumps and Fuel Pump Meters

Diesel fuel tank filter and vent caps also available at select locations





FUEL TANKS

MERIDIAN FUEL TANKS

**Made for temperature extremes
-40° to +80°**

Meridian's ULC approved double wall containment tanks prevent costly leak and provide environmentally safe storage.

- Sizes range from 2,300 L to 75,000 L
- Skidded and non skidded options
- Agriculture and commercial designs
- Heavy gauge steel construction
- Fully equipped pump packages (20 to 40 GPM)
- Bottom fill systems (larger tanks)

AG DUTY TANK 2,300 L 505 imp gal / Double Wall Cradle

Skid, Fill Rite 701 pump, hose retractor, level site gauge, drip tube, leak detection gauge

AG DUTY TANK 4,595 L 1000 imp gal / 70/30 Split with Skid

Skid, Fill Rite 311 pump L with meter, level site gauges, (2) standard hose retractors with 8' posts, (2) drip tube, leak detection gauge

AG DUTY TANK 4,600 L 1000 imp gal

Skid, Fill Rite 311VL pump, standard hose retractor with 8' post, level site gauge, drip pot, leak detection gauge

HEAVY DUTY TANK 10,000 L 2200 imp gal

Skid, Fill Rite 311 pump/meter package, standard hose retractor with 8' post, level site gauge, drip pot, leak detection gauge

WESTEEL FUEL TANKS Transportable & Stationary Models

FLAT TOP ROAD-VAULT Single Wall Slip Tanks

- Sizes range from 63 to 990 imp gal
- 99 imp gal and 150 imp gal farm diesel flat top tanks also available
- Mobile and convenient fuel storage



DOUBLE WALL CROSS-VAULT Transport Canada/UN and ULC certified tank

- Sizes range from 950 L to 4,500 L
- Crossroads of a stationary tank and a slip tank



SINGLE WALL CRADLE TANK ULC certified, safe, and secure storage for your fuel.

- Sizes range from 300 to 1,000 imp gallon
- Ground storage allows for faster transfer rates using fuel pumps
- Affordable and reliable fuel storage





Low Salt Starter Fertilizers

High performance low salt starters

TopKrop's low salt starters are formulated to provide an efficient source of N-P-K-S. Early in the growing season, cool soil temperatures often limit the ability of plant roots to absorb sufficient nutrients and water.

A low salt starter with high availability of nutrients at the time of planting helps overcome this problem, leading to quicker plant emergence, better plant growth, and a higher yield potential.

Our starters are designed to be placed safely in furrow with your seed and deliver a low salt and highly efficient nutrient package.



INCITAVUS SUPERSTARTER

- Guaranteed analysis of 8-31-3-2
- High efficiency phosphate starter with the added benefits of nitrogen, potassium, and sulphur
- Additional Cu, Fe, Mn, Zn, and B micronutrients
- Amino acids with a high-grade humic binder to help chelate nutrients and minerals in the soil
- 100% water soluble and seed safe
- Produced locally in Saskatchewan

TK622 & LS624 LIQUID STARTERS

- Guaranteed analysis of 6-22-2-1 and 6-24-6
- High efficiency liquid starter
- 100% water soluble and seed safe
- TK622 locally produced in Saskatchewan



"It has a low salt content and gives you a better startup in a dry period."

Jaap Poot – Neerlandia, AB



Surgo Seed Treatment

A seed primer with a punch

Surgo is an amino acid, high-grade humic, and kelp based seed treatment, blended with specific plant growth regulators for on seed application.

It is designed to increase fibrous rooting, nutrient efficiency, and root development, while assisting in germination and overall plant health.

Surgo can be added to an existing seed treatment program or used as a standalone.



Biologicals

Boost microbial activity in your soil

Our biologicals boost microbial activity in the soil, resulting in increased root development, organic matter, and water holding capacity.

Along with higher yields and ROI, biologicals also help with overall plant health and soil quality.

PHYCOTERRA

- Selection of soil, seed, and foliar products that use microalgae to feed the beneficial microbes in your soil
- Benefits include improved soil structure, soil function, and microbial activity with proven on-farm results
- Easy-to-use and compatible with liquid fertilizers, herbicides, and other inputs

ENZATERRA

- Complex mix of humic acid extracts, amino acids, kelp extract, and growth regulators
- Designed to increase chlorophyll transfer, promote flowering, and increase seed size, weight, and vigor
- Can be sprayed with most fertilizers, pesticides, and fungicides
- Apply at herbicide and fungicide timing





Foliar Nutrition

Stage your fertility program in response to weather conditions and crop performance

As your crop grows, its need for nutrients fluctuates. Split applications allow you to **help your plants at critical points in the growth cycle to ensure optimal results**—and help your plants reach their genetic potential.

Foliar feeding maintains a better overall nutrient balance within plants, which may not be achieved through soil uptake alone.

At TopKrop, our lineup of foliar fertilizers are tailored to different crops, functions, and nutrient deficiencies in the field.

These products provide a balance of quick and slow release nitrogen for continuous feeding, and are **low salt, non-corrosive, and herbicide compatible**.



When should you stage your fertilizer?

- Mitigate nitrogen burn potential if growing conditions are less than optimal.
- If conditions are very dry at seeding.
- If conditions are too wet at seeding and the crop was mudded in or seed had to be surface applied.
- If the crop is showing signs of nitrogen deficiency, which is usually pale lower leaves, yellowing, and sometimes purpling.
- If your seeding tool cannot accommodate your fertilizer needs you can reduce or eliminate some nutrition knowing that you can make it up after the crop emerges.


How does foliar nutrition work?

- Increases chlorophyll concentration
- Increases photosynthesis rate
- Increases water and soil nutrient uptake
- Increases biomass



Tips to Apply Nitrogen and Sulphur in Season – Canola Council of Canada

- In dry conditions, applying approximately two thirds of the recommended nitrogen rate at seeding then topping up with the remaining one third if conditions improve has shown to be an effective and economical practice.
- The earlier the better, and before the 4- to 6-leaf stage of the crop. This is pre-bolting stage just before buds form and plants begin to elongate.
- For canola, maximum rates of nitrogen uptake occur from about the 5-leaf stage to full bloom. Ideally, nitrogen should be applied before that period because rainfall is required to move the fertilizer into the root zone and make it available for uptake.



SlowRelease Nitrogen Foliar Products

Non-burning formula that feeds the plant for up to 30 days

Our foliar fertilizers provide an alternative nitrogen source while delivering additional plant nutrients throughout the growing season.

This low salt, UV-activated formula is crop safe and will stick to the leaf and feed the plant for up to 30 days using slow release nitrogen technology.

These products are applied as a foliar and mix readily with liquid fertilizers and most herbicides.

SLOWRELEASE 28-0-0

- 28% nitrogen (72% slow release)
- Rate: Up to 2 gal (7.5 L) / acre

SLOWRELEASE 1985

- 28% nitrogen (72% slow release)
- 8% potassium and 5% sulphur
- Rate: 1.5 gal (5.7 L) / acre

Plant Health Products

Mitigate disease pressure while delivering additional plant nutrients

TopKrop's foliar plant health products combine the advantage of slow release nitrogen with chloride, acting as a plant health promoter that has been known to be effective in disease suppression.

These foliar products are great for a late season phos and nitrogen top-up while aiding in plant health and increasing yields.

SLOWRELEASE HEALTH 1348C

- 10% nitrogen (72% slow release)
- 3% phosphate, 4% potassium, and 8% chloride
- Rate: 1.5 gal (5.7 L) / acre

SLOWRELEASE HEALTH 1458C

- 10% nitrogen (72% slow release)
- 4% phosphate, 5% potassium, and 8% chloride
- Rate: 1.5 gal (5.7 L) / acre

"I can wait until it rains, and I know I have the moisture to boost the yield potential, and then apply it."

Jason Basset of Bruno, SK on the benefits of TopKrop foliar products



Unleash the Power of Your Soil with Humic

Produce more with the land you have

It is more important than ever to increase crop production with the land you have, rather than trying to buy more acres. This means it is vital to ensure that any non-producing acres are brought back into production and any under-performing acres are improved to maximize their output.

Invest in your soil now, so you can ensure that your land will be healthy and productive well into the future.



How can humic help?

- High water retention for effective drought mitigation
- Optimized nutrient uptake
- Increased nitrogen retention in the soil
- Reduced compaction, hardpan, alkali, and salinity conditions
- Accelerated crop residue breakdown
- Enhanced microbial activity in the soil
- Regulated pH levels
- Improved soil structure and increased carbon levels

What factors contribute to under-performing land?

- Carbon and organic matter deficiency
- Salinity and/or alkali conditions
- Drought
- Compaction and hardpan



"The land is starting to be productive again."

Ken Farion – Vegreville, AB

Journal of Plant Nutrition and Soil Science

University of Alberta, Department of Agricultural, Food, and Nutritional Science, August 2023

- Plants grown in the presence of humalite had increased root length, volume, and surface area, plant biomass, and nutrient uptake.
- Humalite application significantly increased grain yield up to 19%, seed protein content up to 30%, and nutrient use efficiency up to 60%.
- The findings suggest that humalite can be used as an organic soil amendment to reduce synthetic fertilizer application and improve plant growth and yield while enhancing fertilizer use efficiency.



Solum applied at 2 litres/acre – 3 weeks after application

Solum

Liquid humic-based product

Solum is a potent amino acid-based product with a high-grade humic binder designed to chelate nutrients and minerals in the soil.

The result of this is a breakdown of hardpan, alkali, and salinity areas, and greatly increased water holding and water infiltration capacity of the soil.

The amino acids help defend against stresses such as bacteria, insects, salt, extreme temperatures, and drought, while the metabolites aid with plant growth and development.

- Minimum 12% humic acid
- High-grade humic extract with essential amino acids
- Soluble over a pH range of 2.0 to 12.0
- Can be soil-applied or sprayed and mixed with most commercial fertilizers
- Hassle-free application



Humalite

Granular humic-based product

Our high-quality Humalite is found only in Hanna, AB. It is a unique, certified organic soil amendment that is formed during the decomposition of organic materials and offers many agronomic benefits when incorporated into fertilizer programs.

These benefits include increased nutrient uptake, better water retention, and reduced input costs—leading to healthier plants and a higher yield potential.

- Minimum 64% humic acid
- Canadian-sourced and certified organic
- Made from pure, raw humalite
- Flexible application anytime of year
- Ideal for broadcast or in-furrow applications
- Spreader, floater, and air compatible

"This land has been in our family for years. Instead of trying to expand our farm, we're going to try to make the farmland that we have better."

Reid Daley of Radville, SK shares why he uses TopKrop humic products



Behnke 53' semi sprayer trailers are available in spring or air ride suspensions. These sprayer trailers are engineered to handle the load of today's largest sprayers plus haul tanks on the upper deck.

BEHNKE Behnke 53' Tri-Axle Sprayer Trailer

Load up Your Tanks and Your Sprayer

- 13' 5th wheel – equipped with winch track and sliding winches
- (3) 25,000 lb air brake axles
- 255/70R22.5 Tires
- Air ride suspension with dump valve
- Multi use beavertail and ramps
- Flip up side running boards
- Removable front wheel chocks with under-slung storage hangers
- 13' upper deck
- Treated wood deck
- LED and strobe lights
- Water tank available



BEHNKE 9.5 x 53' Air Ramp Equipment Trailer

(3) 25,000 lb Air Brake/Air Ride Axles

- T1 – 100 KSI main frame
- (3) 25,000 lb axles
- 255 / 70R22.5 tires
- Air ride with dump valve and pressure gauge
- 12" centre 4" I-beam cross members
- Air operated front lift for lower to upper deck
- Rear ramps air actuated for easy loading
- Double break beavertail
- Apitong decking
- Flip out over width clearance lights

Brand selection may vary by province.



BEHNKE
Flaman ST Series Ag Sprayer Trailers

Customer Inspired. Flaman Built.

Custom-design in-house with safety, speed, and easy of use at the top of mind. Flaman's ST-9100 and ST-9200 ag sprayer trailers are built on 53' Behnke trailers and are loaded with features to increase efficiency and reduce downtime.

- Triple axle
- 80,000 lb GVWR
- 22.5 tires
- Air ride suspension
- Lightweight Apitong hardwood decking
- Crossmembers on 12" centres
- Dual 2 speed jacks
- Deck space for extra storage
- Fertilizer grade water tanks
- 4500 USG rear and 3200 USG front tank
- Chemical handler with pump
- Chembine Hot-Tank (ST-9200)
- Steel sprayer fill boom
- Tote rack and cage
- Stowable stairs and grating tread
- Customization options available



BEHNKE
Flaman ST-9400
Sprayer Transport Trailer

- 5th wheel sprayer trailer
- Chemical handler with pump
- 3200 USG front tank
- Deck level sprayer fill
- Tote rack and cage



TRAILTECH
Combine Trailer

The Professional Choice for Combine Trailers

- Heavy duty flip up sides extend to 13'
- 12" x I-Beam
- Tandem or triple axle option
- 20,000 lb axles with air brakes
- Torque tube 5th wheel



BEHNKE
Pintle Equipment Trailer

Big trailers for big jobs!

- 9.5' wide by 31' long deck
- 6' rear air ramps
- (3) 25,000 lb air brake axles
- 235/75R17.5 tires
- Low arc spring suspension
- Air bag tilt with air lock on the tilt deck
- T-1 main frame
- Oak decking
- 2 speed landing gear

SPECIAL ORDER
Trailtech Header Transports

Easily transport and store your header

Brand selection may vary by province.

FLAT DECK TRAILERS



Construction / Commercial Series

CELR270 18' & 20'

- 6" channel main frame
- (2) 7,000 lb spring axles
- Protected LED lights and wiring
- Teardrop fenders / slide in ramps
- 8,000 lb drop foot jack

H370GN

- 24' deck with beavertail on flip up centre
- 5' beavertail with full width tech ramps
- (3) 7,000 lb rubber ride axles
- Electric braking
- Curb weight: 6,575 lb

TRAILTECH



Premier Series

L270 DT – 20'

- 18' deck + 2' dovetail
- (2) 7,000 lb torsion axles
- Adjustable ball coupler/pintle
- Curb weight: 3,026 lb

L270T – 20'

- 16' tilt + 4' stationary
- (2) 7,000 lb torsion axles
- Electric braking
- Curb weight: 3,173 lb

Industrial Series – Market's Strongest Frame

TD210 – 26'

- 26' deck + 5' beavertail
- (2) 10,000 lb axles
- 5990 lb curb weight



MODEL SHOWN WITH
OPTIONAL ALUMINUM RIMS

Brand selection may vary by province.



DIAMOND C

TANDEM DUAL GOOSENECK
Engineered One Piece I-Beam Frame

- Lengths from 20' to 53'
- Axle capacities from (2) 7,000 lb to (3) 12,000 lb
- 5' dove with spring-assisted, full width max ramps, floating ramp hinges make for a smooth transition from ramp to dove




MAX RAMP



TILT TRAILER 307HDT
Manufactured I-Beam Frame

- Low profile design
- 16' cushion tilt with lockout
- A-frame tool box
- 12K jack
- (3) 7,000 lb torsion axles



LPX307
Extreme Duty Flat Deck

- I-Beam frame for low profile design
- (2) 7,000 lb or (3) 7,000 lb axle configurations
- A-frame tool box
- 12K jack

SOUTHLAND



SOUTHLAND
20' Highboy Equipment Trailer

- (2) 7,000 lb E-Z lube axles
- 6' aluminum ramps
- 7K drop leg jack
- Rub rail and stake pockets / LED lights



SOUTHLAND
16' Steel Car Hauler

- (2) 35,000 lb axles
- 16' deck and 82" deck width
- Heavy duty fenders
- 5" HSS tube main frame



Slide in Ramps

Hydraulic Trailers



DIAMOND C HYDRAULIC TAIL
Never manually lower ramps again

- 12' powertail with auto lock
- Axle configurations: (2) 10,000 lb, (3) 10,000 lb, (2) 12,000 lb or (2) 15,000 lb
- Available lengths: 30', 32', 35', 38', 40'
- Remote control



DIAMOND C 22' TILT DET207
Versatile deck-over tilt

- Gooseneck or pintle
- (2) 7,000 lb Axles
- 20' deck / 2' dovetail
- Torflex suspension
- Hydraulic and power tilt




TRAILTECH MD270
Multi-deck get 4 trailers in 1!

- Gooseneck or pintle
- (2) 7,000 lb axles
- 20' deck / 2' dovetail
- Torflex suspension
- Hydraulic and power tilt

Brand selection may vary by province.

DUMP TRAILERS

DIAMOND C



Diamond C's I-Beam main frame is lighter and stronger than traditional mild beam.

MDT 12 12' Diamond C Dump

- I-Beam main frame
- Front mount 3 stage telescopic hoist
- 3-way tailgate
- E-Z lube axles
- (2) 6,000 lb axles
- 24" high sides
- 12 gauge wall and slides
- HD fenders
- Roll tarp
- Full bead blast, zinc rich primer, and powder coat paint

LPT 14 14' Diamond C Dump

- I-Beam main frame
- Front mount 3 stage telescopic hoist
- 3-way tailgate
- E-Z lube axles
- (2) 7,000 lb axles
- 24" high sides
- 10 gauge wall and slides with 4" stiffener
- HD fenders
- Roll tarp
- Full bead blast, zinc rich primer, and powder coat paint

LPT 16 16' Diamond C Dump

- Front mount 3 stage telescopic hoist
- 3-way tailgate
- E-Z lube axles
- (3) 7,000 lb axles
- 24" high sides
- 10 gauge wall and slides with 4" stiffeners
- HD fenders
- Roll tarp
- Full bead blast, zinc rich primer, and powder coat paint

TRAILTECH

TRAILTECH Dump Trailers

- 10 ton Champion hoist
- Tarp
- All tubing frame
- HD fenders
- Complete wiring harness
- Available in 12 to 14 tags
- 16' goosenecks



Trailtech Tuffguard comes in several options for dump trailers. Save your money and protect only what is needed with strategic coverage on the chassis, fenders, and the front of the box.

Brand selection may vary by province.



SL714 – 16K
14' Southland Dump

- (2) 8,000 lb axles
- 6" rectangular tube main frame
- 10 ton Champion scissor hoist
- Lockable aluminum toolbox with 10 amp 110V built in charger
- HD aluminum slide out ramps
- 3 way tailgate with locks on each door with spring loaded door tie backs
- 12,000 lb drop leg jack
- Adjustable ball coupler



SL714 – 16K HD
14' Southland Dump

- (2) 8,000 lb axles
- 6" rectangular tube main frame
- 10 ton Champion scissor hoist
- Lockable aluminum toolbox with 10 amp 110V built in charger
- Load range F rated tires
- 12K hydraulic front jack
- 7 gauge floor with 10 gauge sides
- 3 way tailgate with locks on each door with spring loaded door tie backs
- HD aluminum slide out ramps



SL610 – 10K
10' Southland Dump

- 6" rectangular tube construction
- Scissor hoist lift
- (2) 5,200 lb spring axles
- 12 gauge bed with 14 gauge sides
- Barn door style
- Galvanized formed slide in loading ramps



SL714 – 14K
14' Southland Dump

- (2) 7,000 lb spring axles
- 6" rectangular tube main frame
- 9 ton Champion scissor hoist
- Lockable aluminum tool box with 4 amp 110V built in charger
- Galvanized formed loading slide in ramps

SOUTHLAND

ENCLOSED TRAILERS



CROSS
24' Auto Hauler

Heavy Duty Rear Ramp Door

- Rectangular tube construction main frame, wall posts, and roof bows
- (2) 5,200 lb Dexter axles
- Available in various lengths and heights



CROSS
7x14 Cargo Trailer

7' Interior Height for UTVs

- Rectangular tube construction main frame, wall posts, and roof bows
- 3/4" floor and 3/8" side walls
- RV sideman door
- Drop ramp with flip over extension
- Available in various lengths

Work or play! We can help you find the perfect trailer.



Xpress Aluminum Trailers are ideal for homeowners, as well as landscapers or those needing a light-weight option without losing out on quality.

ALCOM
Xpress Series Cargo

All Aluminum Frame and Rims

Features:

- 6' x 12' + V-nose
- Rear double door or ramp
- 16" wall studs
- 24" roof and floor studs
- Spring suspension
- LED lights
- Chrome trim package
- Interior lighting with switch
- Water resistant walls and flooring
- 24" checker plate front guard

Options:

- Additional height available
- Upper and lower cabinets
- Extra tie downs
- Recessed E-track
- Motorcycle packages
- Ladder racks
- Custom flooring available
- Finished interior packages



XR SERIES Cargo Trailers

A Trailer That Gets The Job Done

- HSS structural tubing – main frames
- HSS structural tubing uprights
- Rivet-less aluminum exterior
- Exterior bonded with “VHB” two sided tape
- Aluminum rims
- LED tail lights
- 24” checker plate front
- Torsion axles
- Various colours available

CARGO BOX	AXLE
6' x 14' XR Cargo	(2) 3,500 lb
7' x 14' XR Cargo	(2) 3,500 lb
7' x 14' XR Cargo Sport	(2) 3,500 lb
7' x 16' XR Cargo	(2) 3,500 lb
8' x 16' XR Cargo	(2) 6,000 lb
8' x 26' XR Cargo*	(2) 6,000 lb
Length includes 2' of V-nose for XR Series 4' V-nose with ramp door	



All 7'x16' XR Series Cargo models come standard with black hard top flooring



LT SERIES Cargo Trailers

Great Economy-Priced Trailer

- HSS structural tubing – main frames
- 030 Rivet-less aluminum exterior
- 3/8” Plywood – interior walls
- 5/8” Plywood – floor
- Enclosed wiring
- Galvanized hardware
- Aluminum molding top / bottom
- Rubber mounted lighting
- 12” checker plate front
- Rivet-less smooth sides
- Aluminum fenders
- Drop spring axles
- Bias ply tires

CARGO BOX	AXLE
5' x 10' LT	(1) 2,900 lb
5' x 12' LT	(1) 2,900 lb
6' x 12' LT	(1) 2,900 lb
6' x 12' LT	(2) 3,500 lb
6' x 14' LT	(2) 3,500 lb
6' x 14' LT	(2) 3,500 lb
7' x 14' LT	(2) 3,500 lb
7' x 16' LT	(2) 3,500 lb
7' x 18' LT	(2) 3,500 lb
7.5' x 16' LT	(2) 3,500 lb
7.5' x 18' LT	(2) 3,500 lb
7.5' x 20' LT	(2) 3,500 lb
8' x 16' LT	(2) 3,500 lb
8' x 18' LT	(2) 3,500 lb
8' x 22' LT	(2) 5,200 lb
8' x 26' LT	(2) 5,200 lb



**CJAY
V-Nose Premium Cargo Trailer**

- 7' x 14' + 2' V-nose
- Tandem 3,500 lb torsion axles
- Integrated frame
- 83" interior height
- One piece aluminum roof
- Protected wiring
- 24" high aluminum checker plate rock guard
- POLYCOR siding available



**CJAY
V-Nose Cargo Trailer**

- 7' x 16' V-nose trailer
- Tandem 3,500 lb torsion axles
- Rubberized automotive style undercoating
- One piece aluminum roof
- Heavy duty ramp door
- Protected wiring
- Integrated frame
- POLYCOR siding available

HORSE & STOCK TRAILERS



2, 3 & 4-PLACE
MODELS AVAILABLE

**SUNDOWNER TRAILERS
Super Sport Horse Trailers**

- Gooseneck and bumper pull available
- 39" stall width
- Padded airflow head and shoulder dividers
- All aluminum construction

**Don't see what
you need?**

We take custom factory orders.

Contact your nearest Flaman for more information.



**Industrial Truck Decks
Truck decks for work or play**

- Lighted headache rack
- Steel tubing headache rack
- Rear window protection
- Recessed gooseneck ball plate
- Treated wood deck
- Rubber-mounted and recessed LED lighting

SPECIALTY TRAILERS



SPECIAL ORDER

CROSS 8.5 x 24 Cross Office Trailer

Do you need on site space for your crew?

- (2) 5,200 lb torsion axles
- 36" x 76" RV entry side door
- Plywood walls and drymax floor
- Seamless white vinyl roof
- Insulated floor package
- Insulated walls
- Interior dome lights
- 35,000 BTU furnace package
- Thermostat, CO2 detector, fire extinguisher
- 2' aluminum cabinet
- Stand-up closet with shelf and rod



SPECIAL ORDER

ATC Aluminum Car Hauler

Customizable options available including:

- Cabinets
- Aluminum rims
- 12 volt lighting
- Premium escape door



ATC Aluminum Stackers

Available in 20' to 53' lengths

- Tag and gooseneck style hitches
- Tandem and tri-axle configurations
- With low profile tilting lift
- Premium escape door
- Full interior package



SPECIAL ORDER

Call us for pricing and available options!



SLED TRAILERS

Royal XR Series Sled Trailers



XR SERIES 3 Place Highboy Sled Trailer

- 8' wide standard highboy
- (2) 3,500 lb axles
- Aluminum interior and mez deck flooring
- 16' + 4' V-nose



XR SERIES 4 Place Highboy Sled Trailer

- 8' wide standard highboy
- (2) 6,000 lb axles
- Aluminum interior and mez deck flooring
- 22' + 4' V-nose

Royal LT Series Sled Trailers



LT SERIES 3 Place Lowboy Sled Trailer

- (2) 3,500 lb axles
- 16' straight wall + 4' V-nose
- Mez deck flooring
- 86" interior height
- Front and rear ramps



LT SERIES 4 Place Highboy Sled Trailer

- (2) 5,200 lb axles
- 22' straight wall +4' V-nose
- Mez deck flooring
- 86" interior height
- Front and rear ramps

Brand selection may vary by province.

UTILITY TRAILERS



ALUMA
548 Utility

- 54" x 96"
- 2,200 lb torsion axle
- Aluminum frame and floor
- Aluminum fenders



ALUMA
A8810 ATV

- Aluminum frame and floor
- Bed size: 88" x 126.75"
- 2,200 lb torsion axle
- Curb weight: 525 lb
- 13" Tires



ALUMA
8114 - 14' Utility

- Aluminum frame and floor
- Bed size: 81" x 145"
- Aluminum fenders with guard
- 3,000 lb rubber torsion axle



ALUMA
UTV - 12'

- 3,000 lb torsion axle
- Curb weight: 760 lb
- Bed size: 71" x 150" & 57" ramp
- 24" aluminum shield with storage box

We carry a wide variety and models of utility trailers to help you get the job done!



LEGEND
7x12 Utility trailer

- 3,500 lb torsion Axle
- Integrated F-channel frame
- 48" fold in, removable bi-fold gate
- Stake pockets
- LED lighting
- Also available: 7' x 14'



TRAILTECH
BD2-12 Utility Trailer

- 3,500 lb spring axle
- Salt shield
- One piece steel slide-in ramps
- Stake pockets
- LED lighting
- Ski tie-down bars
- Also available: 16' and 22'



OASIS
Utility Trailer

- 2,990 lb spring axle
- Swing-up jack
- 3" channel frame
- Slide-in ramps
- Fir plank decking
- Also available: 6' x 12' and 6' x 14'

Brand selection may vary by province.

TILLAGE EQUIPMENT RENTALS



KINZE MACH TILL
High Speed Discs

The Kinze Mach Till is ideal for trash management and seed bed preparation.



WISHEK DISCS
8' to 36' models available

The heaviest disc on the market and the most effective way to break up land or improve drainage.



BRILLION
Ripper / Subsoiler

A rugged tillage implement that can handle the stresses of deep ripping in hard, compacted soil.



SCHULTE
36' DHX Disc Harrow

Handle all the tillage and residue management on your farm.



RITEWAY LAND ROLLERS
Convenient narrow transport

Provides consistent surface contact for increased germination and smooths fields for straight cutting.



RITEWAY
Heavy Harrows

Spread and break up trash and residue, while raking and leveling the ground.

GRAIN MOVING EQUIPMENT RENTALS



AGI VRX Grain Vac

Quiet, fast and easy to use.

- Gentle seed handling
- Move up to 6,000 BPH during full bin load-out
- Great for clean-up and full bin situations



PRO GRAIN Grain Extractor

The Pro Grain extractor delivers fast, dependable, and efficient grain transfer from your grain bags to your transport truck.

▶▶▶ Rental equipment may vary depending on dealer location.

EARTH MOVING EQUIPMENT RENTALS



12' Pull Blade



Landscraper

Ideal for landscaping, road building, and burying stones.



Box Scraper

HAY & LIVESTOCK EQUIPMENT RENTALS



RITEWAY BALE CARTS
Move up to 1,000 bales a day!

- Gentle on bales and the hayfield
- Quickly gather bales and place in semi-trailer sized groups



POST POUNDERS
Fencing made easier

- No tractor needed / easy operation
- Self-contained with a 13 HP Honda motor
- For building new fences or making repairs

▶▶▶ Rental equipment may vary depending on dealer location.



SOVEMA 12 OR 14 WHEEL HAY RAKE
Decrease drying time and increase productivity



JIFFY HAY FLOAT
Level your pasture and hay land



LEVEL-WIND Wire Roller
Optional grain bag roller attachment now available



TPH BRILLION 10' Grass Seeder
The most accurate way to seed grass

LANDSCAPE EQUIPMENT RENTALS



SCHULTE ROUGH CUT MOWERS
Tough and dependable

- Great for mowing crop residue, pastures, weeds, or roadsides
- Ultra narrow transport width for added safety
- Designed to work in the toughest terrain



SCHULTE ROCK PICKERS
Build larger stone piles

- Pick rocks faster
- Good for spot picking in fields
- Tough and dependable

SCHULTE SRW1400 ROCK RAKE

Available only in the **Yorkton, Moosomin, and Swan River regions**

CONSTRUCTION RENTALS



4 models available

SKID STEERS



MINI EXCAVATORS



SCISSOR LIFTS



TELEHANDLERS



COMPACTION

Compaction headquarters. Whatever your project calls for, we have the machine to do the job!



HEATERS



CONCRETE TOOLS

We rent quality HILTI tools at Flaman for all your hammer drilling and jack hammering needs.

WE RENT:

- | | | | |
|-----------------|---------------------|--------------|--------------------------------------|
| Skid Steers | Auger Bits 6" – 30" | Snow Blades | Grapple Forks |
| Mini Excavators | Hyd Auger Drives | Snow Blowers | Pallet Forks |
| Scissor Lifts | Auger Extensions | Snow Buckets | Brooms |
| Telehandlers | Frost Bits | Sweepers | Buckets
<i>Tooth & Smooth</i> |
| Heaters | Bale Spears | Tree Scoops | |
| Concrete Tools | Hyd Jack Hammers | Trenchers | |

Yorkton, SK **306.994.0654** | Moosomin, SK **306.802.4808** | Swan River, MB **204.400.5621**

TRAILER RENTALS



14' DUMP SHOWN
10' – 14' SIZES AVAILABLE

Need to haul dirt, snow, or debris?

The two-way tailgate features a rear double door and spreader gate, allowing for fast, controlled loading. Rent one of our 10', 14', and 16' tandem axle dump trailers today.

DUMP TRAILERS

8' Hydraulic Dump Trailer
10' Tandem Dump Trailer
12' Tandem Dump Trailer
14' Hydraulic Dump Trailer
16' Gooseneck Hydraulic Dump Trailer



These trailers tilt for easy loading.

TILT DECK FLATDECK TRAILERS

6' x12' Utility Tilt Trailer
16' Tilt Trailer
18' Tilt Trailer
20' Tilt Trailer
20' Lowboy Tilt Trailer with Winch
20' H270 Highboy Tilt Trailer with Winch



24' GOOSENECK FLAT DECK SHOWN
20' – 30' SIZES AVAILABLE

Great for general farm, hotshot, or long haul trucking.

We have 20' to 30' trailers available with capacity up to 20,000 lb.

HIGHBOY FLAT DECK TRAILERS

18' H-260 Flat Deck Trailer
20' H-270 Flat Deck Trailer
20' H270 Tilt Trailer with Winch
20'+ 5' H-270 Flat Deck Trailer
25'+ 5' H-270 Flat Deck Trailer
26'+ 5' TD Pintle Flat Deck Trailer
30'+ 5' TD215 Pintle Flat Deck Trailer

GOOSENECK FLAT DECK TRAILERS

26'+ 5' TD 210 Gooseneck Highboy Trailer
30'+ 5' TD 210 Gooseneck Highboy Trailer
30'+ 5' TD 215 Gooseneck Highboy Trailer
36' Tri-Axle Gooseneck Highboy Trailer



18' LOWBOY SHOWN

LOWBOY FLAT DECK TRAILERS

16' Lowboy Flat Deck Trailer
18' Lowboy Flat Deck Trailer
20' Lowboy Flat Deck Trailer

JOIN OUR TEAM!

Looking to expand your business?

Join our growing team of rental dealers in Western Canada. You can expect a supportive network of like-minded business people to help you grow your business and be successful. Last year we rented equipment to over **40,000 customers** in farming, oilfield, construction, and more. Investment in equipment is required. Proudly serving Western Canada since 1959.

Sizes vary upon location.

Call your local Flaman dealer for available sizes.



4' x 8' UTILITY SHOWN
4' x 8' - 5' x 8' SIZES AVAILABLE

Do you have leaves and branches to haul to the landfill?

Our utility trailers are perfect for the job.

UTILITY TRAILERS

2-Place Snowmobile Highboy
4' x 8' Utility Trailer with Sides
6' x 10' Utility with Sides
6' x 12' Tilt Deck



7' x 16' WITH V-NOSE
ENCLOSED SHOWN

Moving? Need some temporary, mobile storage?

Various sizes of cargo trailers available Ramp or barn door options

UTILITY TRAILERS

8' Enclosed Trailer
10' Enclosed Trailer
12' Enclosed Trailer
14' Enclosed Trailer
16' Enclosed Trailer
18' Enclosed Trailer
20' Enclosed Trailer
22' + 4' Enclosed Trailer
24' Enclosed Carhauler Trailer



Haul your cattle or horses in one of our easy pulling stock trailers.

We have 15' to 24' trailers available.

HORSE & STOCK TRAILERS

10' 2-Horse Trailer
14' 2-Horse Trailer
15' 2-Horse Trailer
16' Stock Trailer
20' Stock Gooseneck Trailer
24' Stock Gooseneck Trailer



Ground level loading makes loading and unloading a breeze.

AIRTOW TRAILER

AirTow 14' 10K Capacity

**BECOME A
FLAMAN
RENTAL DEALER**

Alberta – Call Ken
587.206.8359

Saskatchewan & Manitoba – Call Cole
306.700.3823





Sales & Rental Locations

Peace Country

DAWSON CREEK, BC
250.219.2034
Agroworks Services

★ **FAIRVIEW**
780.900.4710
Flaman Store

FALHER
587.647.7368
Elite Ag Sales & Rentals

GRANDE PRAIRIE
1.800.390.6924
Keddies Tack & Western Wear

LA CRÊTE
780.926.6468
Precision Rentals

HIGH PRAIRIE
780.523.1405
EC Bar Ranch

Central Alberta

ATMORE / GRASSLAND
780.212.7931
Hwy 63 Equipment Rentals

BARRHEAD
780.674.2146
McEwen's Fuels & Fertilizers

BON ACCORD / MORINVILLE
780.921.3002
McEwen's Fuels & Fertilizers

CARSTAIRS
403.337.0009
Koch Fuel Products Inc.

★ **EDMONTON**
587.206.8179
Flaman Store

EVANSBURG
780.727.2149
McEwen's Fuels & Fertilizers

FORT SASKATCHEWAN
780.998.2058
McEwen's Fuels & Fertilizers

LLOYDMINSTER
780.870.8900
Headon Rentals

★ **NISKU**
587.206.8359
Flaman Store

PONOKA
403.783.6866
Dark Side Rentals

RED DEER COUNTY
403.302.4737
Clubb Sales & Rentals

RIMBEY
403.843.3030
Action Auto

ROSALIND
780.781.3301
Leading Ag Rentals

RYLEY
780.446.2684
Mike Bonham Ag Rentals

SMOKY LAKE
780.656.3881
McEwen's Fuels & Fertilizers

STETTLER
403.742.5300
Koch Fuel Products

STONY PLAIN
780.963.2078
McEwen's Fuels & Fertilizers

SUNDRE
403.638.4930
Koch Fuel Products Inc.

THORHILD
780.398.3944
McEwen's Fuels & Fertilizers

THREE HILLS
403.443.5770
Koch Fuel Products Inc.

VEGREVILLE
587.280.2474
Royal Park Rentals

WESTLOCK
780.349.3223
McEwen's Fuels & Fertilizers

Southern Alberta

ACADIA VALLEY
403.664.5173
Neilson Mechanical Inc.

BROOKS
403.571.2272
I-Beam Irrigation

CARDSTON
403.653.4495
Ridge Ag Rentals

FOREMOST
403.867.2436
AgroPlus Holdings

FORT MACLEOD
403.915.3499
MoBoot Ag Mechanics & Rentals

★ **LETHBRIDGE**
587.800.7921
Flaman Store

★ **MEDICINE HAT**
587.206.8163
Flaman Store

MILK RIVER
403.647.3790
LJB Fuels Ltd.

TABER
403.315.3694
I-Beam Irrigation





Saskatchewan

ASSINIBOIA
306.642.4621
B & A Petroleum

ESTEVAN
306.634.5016
South Sask Rentals Inc

★ **MOOSSOMIN**
306.802.4808
Flaman Store

SHAUNAVON
306.297.1400
B & A Petroleum

UNITY
306.228.2172
Last Pass Ag

CANORA
306.563.6426
Brendonn Holdings

HOOSIER
306.460.9650
C. Fischer Trucking Inc

PANGMAN
306.442.7400
Redcoat Ag Inc.

★ **SOUTHEY**
306.993.9688
Flaman Store

WILKIE
306.843.8275
Last Pass Ag Ltd

CUDWORTH
306.256.2300
Horizon Fertilizers

HUMBOLDT
306.682.2574
Horizon Fertilizer

★ **PRINCE ALBERT**
306.400.3361
Flaman Store

★ **SWIFT CURRENT**
844.966.0962
Flaman Store


★ **YORKTON**
306.994.0654
Flaman Store

ELROSE
306.378.7804
MacDonald Rentals

MAPLE CREEK
306.662.2262
B & A Petroleum

★ **SASKATOON**
306.700.3823
Flaman Store

SWIFT CURRENT RT
306.773.8890
B & A Petroleum



Manitoba

AUSTIN
204.637.2515
Mar-Dee Enterprises

NEEPAWA
204.476.2348
Mar-Dee Enterprises

BRANDON
204.728.4554
Mar-Dee Enterprises

PORTAGE LA PRAIRIE
204.857.8764
Mar-Dee Enterprises

CRYSTAL CITY
204.825.0170
Thiessen AgriVentures


RESTON
204.877.3729
Mar-Dee Enterprises

DAUPHIN
204.638.4401
Brendonn Holdings

RUSSELL
204.773.2268
Brendonn Holdings

MELITA
204.522.3202
Mar-Dee Enterprises

★ **SWAN RIVER**
204.400.5621
Flaman Store



VIRDEN
204.748.2283
Mar-Dee Enterprises

Montana

CONRAD, MT
406.467.2901
Lattin & Sons

HELENA, MT
406.449.1269
Grizzly Diesel

POWER, MT
406.467.2901
Lattin & Sons



ALBERTA

Edmonton N.

587.206.8179

8910 Yellowhead Trail

Medicine Hat

587.206.8163

3377 Gershaw Dr SW

Lethbridge

587.800.7921

16 Broxburn Boulevard

Edmonton S.

587.206.8359

2310 Sparrow Dr.
(Nisku)

Fairview

780.900.4710

10917 92nd Ave
(Peace Country)

SASKATCHEWAN

Prince Albert

306.400.3361

Hwy #2 South

Moosomin

306.802.4808

Hwy #1 West

Yorkton

306.994.0654

Hwy #16 East

Swift Current

844.966.0962

2500 South Service Rd W

Saskatoon

306.700.3823

Hwy #16 & 71st St

Southey

306.993.9688

Hwy #6

MANITOBA

Swan River

204.400.5621

Hwy #83A

Want to learn more about ag drones
for spraying, spreading, and surveying?

CALL TO BOOK A DEMO



www.flaman.com